

Модель насоса	поток вопрос		Поднимат ь Н(м)	Скорость н	Мощность двигателя
	л/с	м3/ч	без	об/мин	кВт
100HW-8S	98	27	7	2900	3.0
	89	25	8		
	70	19	10		
150HW-5	137	38	6.1	1450	4.0
	180	50	5.0		
	216	60	3.7		
150HW-6	140	38.9	6.6	1450	5.5
	180	50.0	6.0		
	200	55.6	5.0		
	164	46.0	9.0	1700	7.5
	211	59.0	8.2		
	234	65.0	6.9		
200HW-10	300	83	8.0	1200	11
	360	100	7.0		
	450	125	5.1		
	360	100	12.0	1450	18.5
	450	125	10.0		
	540	150	7.5		
	400	111	14.5	1600	30
	500	139	12.2		
	600	167	9.5		
250HW-7	400	III	8.0	980	15
	450	125	7.0		
	500	139	6.3		
250HW-8	407	113	9.6	1180	18.5
	540	150	8.0		
	648	180	6.0		

	673	187	12.4	1450	30.0
250HW-11	400	111	5.5	980	11
	450	125	4.8		
	500	139	4.0		
	550	153	13.2	1450	30
	650	180	11.6		
	720	200	9.8		
	640	178	15.5	1600	37
	720	200	14.3		
	800	222	11.8		
	300HW-7	507	141	4.4	730
581		161	3.9		
678		188	2.8		
680		189	8.0	980	22
780		217	7.0		
910		253	5.0		
902		251	14.1	1300	55
1035		288	12.3		
1207		335	8.8		
300HW-10	880	244	13.0	1450	55
	1020	283	10.6		
	1150	319	8.3		
	970	269	16.0	1600	75
	1140	317	12.8		
	1250	347	10.7		
350HW-8	670	186	5.2	730	15
	745	207	4.4		
	819	228	3.7		
	900	250	9.4	980	30
	1000	278	8.0		

	1100	306	6.7		
400HW-7	1080	300	7.8	730	30
	1260	350	6.8		
	1368	380	6.2		
	1450	403	14.1	980	75
	1692	470	12.3		
	1836	510	11.2		
400HW-10	1098	305	11.5	730	55
	1400	389	9.94		
	1720	478	7.55		
	1474	409	20.7	980	110
	1880	522	18.0		
	2309	641	13.6		
	1690	469	7.6		
	1980	550	6.2	580	55
	2180	606	5.3		
	2127	591	12.0		
	2492	692	9.8	730	95
	2744	762	8.4		