

Модель насоса	поток вопрос		Поднимат ь Н(м)	Скорость н	Мощность двигателя	
	л/с	м3/ч				без
HSN125-80-200A(1)	30.5	109.8	65.5	2950	37	
	46.3	166.7	56.9			
	55.5	199.8	51.7			
HSN125-80-200A(2)	30.3	109.1	55.9		2950	30
	43.2	155.5	49.2			
	56.5	203.4	39.6			
HSN125-80-200A(3)	28.1	101.2	47.9		2950	30
	40.2	144.7	40.9			
	48.2	173.5	36.2			
HSN125-80-200A(1)	16.8	60.5	16.1	1480	5.5	
	23.5	84.6	14.4			
	28.2	101.5	12.6			
HSN125-80-200A(2)	15.3	55.5	14.1		1480	5.5
	21.8	78.5	12.3			
	26.2	94.3	10			
HSN125-80-200A(3)	14	50.4	12.3		1480	4
	20	72	10.5			
	24	86.4	9.1			
HSN125-80-200B(1)	26.8	96.5	55.9	2950	30	
	37.7	135.7	52.8			
	45.3	163.1	47.6			
HSN125-80-200B(2)	24.6	88.6	52.7		2950	30
	35.1	126.4	45			
	42.1	151.6	37.7			
HSN125-80-200B(3)	22.4	80.6	44		2950	18.5
	31.9	114.8	37.3			

	38.3	137.9	35.3				
HSN125-80-200B(I)	12.9	46.4	14.8	1480	4		
	18.5	66.6	13.3				
	22.2	79.9	12.2				
HSN125-80-200B(2)	11.7	55.1	13.5				
	17	61.2	11.7		3		
	20.5	73.8	10.5				
HSN125-80-200B(3)	10.5	37.8	11.5		2950	3	
	15.4	55.4	9.6				
	19	68.4	8.6				
HSN125-80-300A(I)	40.9	147.2	102.4	1480		90	
	58.5	210.6	93.1				
	70.2	252.7	82.8				
HSN125-80-300A(2)	38	136.8	90			1480	75
	54.2	195.1	80.1				
	65.1	234.4	72.4				
HSN125-80-300A(3)	35	126	75.5		1480		55
	52	187.2	68				
	60	216	60.1				
HSN125-80-300A(I)	20.6	74.2	26.1	1480			11
	29.4	105.8	23.4				
	35.3	127.1	20.5				
HSN125-80-300A(2)	19.1	68.8	22.7			1480	11
	27.3	98.3	20.2				
	32.7	117.7	18				
HSN125-80-300A(3)	17.6	63.4	19		1480		7.5
	25.1	90.4	17.1				
	30.1	108.4	14.8				
HSN125-80-300B(I)	33.8	121.7	97.8	1480			75
	48.3	173.9	85.4				

	58	208.8	74.3		
HSN125-80-300B(2)	31.4	113	84.5	2950	55
	44.8	161.3	73.4		
	53.8	193.7	64.2		
HSN125-80-300B(3)	28.9	104	70.9		45
	41.3	148.7	62.3		
	49.5	178.2	55		
HSN125-80-300B(l)	16.9	60.8	24.7		11
	24.2	87.1	21.6		
	29	104.4	18.6		
HSN125-80-300B(2)	15.7	56.5	21.3	1480	7.5
	22.4	80.6	18.5		
	26.9	96.8	16		
HSN125-80-300B(3)	14.5	52.2	18.4		5.5
	20.7	74.5	15.7		
	24.8	89.3	13.9		
HSN125-80-350A(l)	8.2	29.6	45.2		22
	32.4	116.3	40.4		
	42.5	153	30.5		
HSN125-80-350A(2)	7.3	26.5	39	1480	18.5
	29.9	107.6	34.3		
	37.7	135.7	28		
HSN125-80-350A(3)	6.2	22.4	33.3		15
	25.8	92.9	29.6		
	33.1	119.3	24		
HSN125-80-350B(l)	7.4	26.5	44.7		18.5
	28.3	102	36.9		
	37.4	134.6	29		
HSN125-80-350B(2)	6.2	22.4	38.5	1480	15
	25.4	91.4	33		

	34	122.4	25.5		
HSN125-80-350B(3)	5.7	20.1	32.2		11
	23.5	84.5	26.5		
	27.7	100	23.7		
HSN150-100-250A(l)	42.1	151.5	93.6	2950	90
	81.9	294.8	78		
	106.2	382.5	64.5		
HSN150-100-250A(2)	34.2	123.2	82		75
	75	270.2	67.5		
	96.3	346.8	55		
HSN150-100-250A(3)	19.8	71.4	69.8		55
	68.2	245.4	54.1		
	92.1	331.5	43.2		
HSN150-100-250A(l)	10.7	38.7	24.4	1480	15
	41.1	147.9	19.5		
	60.1	216.2	14		
HSN150-100-250A(2)	10.5	37.7	20.9		11
	38.5	138.6	16.7		
	54.4	195.8	12		
HSN150-100-250A(3)	10.2	36.7	17.7		7.5
	34.8	125.3	14		
	49	176.5	10.6		
HSN150-100-250B(l)	14.7	53	91.5	2950	75
	69.5	250.4	70.7		
	96.3	346.8	52.5		
HSN150-100-250B(2)	14.6	52.5	79		75
	64.5	232.2	60.8		
	87.8	316.2	45.6		
HSN150-100-250B(3)	14.3	51.5	67.6		55
	60.2	216.8	53		

	79.3	285.6	40.8				
HSN150-100-250B(l)	8.5	30.6	22.6	1480	11		
	35	126	17.7				
	48.2	173.4	13				
HSN150-100-250B(2)	8	28.8	19.8		1480	7.5	
	32.3	116.3	15.1				
	43.7	157.1	11.7				
HSN150-100-250B(3)	7.9	26.5	16.9			1480	7.5
	30	108	13.4				
	40.5	145.9	10.2				
HSN200-125-325A(l)	13.3	47.9	40.6	1480			30
	52.5	189.2	32.4				
	63.7	229.5	28.3				
HSN200-125-325A(2)	11.9	42.8	34.5		1480		22
	48.9	176	28.1				
	57.8	208.1	24.4				
HSN200-125-325A(3)	10.8	38.8	29			1480	18.5
	44.6	160.6	24				
	52.1	187.7	21.2				
HSN150-100-400A(l)	19.8	71.4	66	1480			45
	52.5	189.2	54.1				
	68.4	246.3	41.8				
HSN150-100-400A(2)	18.4	66.3	55.1		1480		37
	46.5	167.4	48				
	60.4	217.3	37				
HSN150-100-400A(3)	17.5	63.2	47.8			1480	30
	42.5	153	41.5				
	53.8	193.8	32.4				
HSN150-100-400B(l)	17	61.2	63.3	1480			45
	46.2	166.3	54.1				

	61.5	221.3	44.1		
HSN150-100-400B(2)	16.4	59.2	53.2	1480	37
	42.5	152.9	45.7		
	53.3	191.8	37.8		
HSN150-100-400B(3)	15.3	55.1	44.6		30
	37.5	135	40		
	47.6	171.4	34		
HSN200-125-250A(l)	39.5	142.3	83.8		132
	151.2	544.2	62.4		
	202.5	729	43.6		
HSN200-125-250A(2)	35.1	126.5	73.9	2950	110
	139.7	503.9	54.1		
	184.2	663	37.4		
HSN200-125-250A(3)	33.7	121.4	63.5		90
	128.7	463.4	45.2		
	155.8	561	35.8		
HSN200-125-250A(l)	28.3	102.0	21		18.5
	77.8	280.1	15.4		
	104.8	377.4	10.0		
HSN200-125-250A(2)	26.0	93.8	18.5	1480	15
	73.5	264.5	14.3		
	94.0	338.6	9.5		
HSN200-125-250A(3)	23.2	83.6	16.0		11
	65.8	237.0	11.3		
	80.7	290.7	8.1		
HSN200-125-250B(l)	31.4	113.2	86.7		110
	133.8	481.9	62.9		
	187.5	675.2	41.6		
HSN200-125-250B(2)	30.0	108.1	75.0	2950	90
	125.3	451.0	55.1		

	167.7	603.8	39.1		
HSN200-125-250B(3)	30.1	108.5	63.7		75
	115	414	47.3		
	144.5	520.2	37.5		
HSN200-125-250B(l)	28.3	102.0	21.0	1480	18.5
	72.7	261.6	15.7		
	90.7	326.5	12.5		
HSN200-125-250B(2)	26.6	95.6	18.3		15
	68.7	247.3	13.7		
	85.1	306.4	10.7		
HSN200-125-250B(3)	25.5	91.8	15.6		11
	63.4	228.3	11.9		
	75.1	270.3	10.1		
HSN200-125-300A(l)	107.7	387.9	124.8	2950	220
	151.7	546.2	112.3		
	181.3	652.8	96.3		
HSN200-125-300A(2)	85.7	308.5	107.6		185
	136.9	493	95.1		
	178.5	642.6	75.9		
HSN200-125-300A(3)	70	193.8	95.7		160
	123.8	445.9	80		
	170	612	58		
HSN200-125-300A(l)	28.3	102	34.2	1480	30
	76.5	275.4	28.1		
	106.2	382.5	21.3		
HSN200-125-300A(2)	25	81.9	29.2		22
	69	248.6	213.5		
	98.6	355	16.1		
HSN200-125-300A(3)	21.2	76.5	25.1		18.5
	62.3	224.9	20		

	87.8	316.2	14.2				
HSN200-125-300B(l)	65.1	234.6	117	2950	200		
	135.8	489	104				
	164.4	592	87				
HSN200-125-300B(2)	51.7	186	108		2950	160	
	123.9	446	87				
	153	551	74				
HSN200-125-300B(3)	36.4	131	93			2950	132
	113.6	409	73				
	144.4	520	56				
HSN200-125-300B(l)	28.3	102	35	1480			30
	68.7	247.3	26				
	92	377.4	18				
HSN200-125-300B(2)	25.6	92.1	27		1480		22
	60	216	23.5				
	82.1	295.8	16.3				
HSN200-125-300B(3)	22.7	81.6	23			1480	15
	57.5	206.9	18				
	70.8	255	14.4				
HSN200-125-325A(l)	52.4	188.7	148.9	2950			185
	104.3	375.4	127.9				
	127.5	459.0	106.1				
HSN200-125-325A(2)	39.7	142.8	130.2		2950		160
	96.8	348.4	108.2				
	116.2	418.2	93.1				
HSN200-125-325A(3)	28.3	102.0	108.7			2950	132
	89.2	321.1	93.6				
	104.8	377.4	80.4				
HSN200-125-325A(l)	13.3	47.9	40.6	2950			30
	52.5	189.2	32.4				



	63.7	229.5	28.3		
HSN200-125-325A(2)	11.9	42.8	34.5	1480	22
	48.9	176	28.1		
	57.8	208.1	24.4		
HSN200-125-325A(3)	10.8	38.8	29		18.5
	44.6	160.6	24		
	52.1	187.7	21.2		
HSN200-125-385A(l)	35.3	127	55.6		75
	88	317	49		
	123.3	444	39		
HSN200-125-385A(2)	29.4	106	47	1480	55
	80	288	41		
	112	403	31.8		
HSN200-125-385A(3)	26.4	95	38		37
	71.9	259	33		
	99.2	357	26		
HSN200-125-385B(l)	28.3	102	52		55
	78.9	284	45		
	107	385.2	34		
HSN200-125-385B(2)	26.1	94	45.0	1480	45
	67.2	241.9	38.0		
	96.5	347.4	29.0		
HSN200-125-385B(3)	23.9	86	37.0		37
	62.0	223.2	32.0		
	85.0	306	25.0		
HSN200-125-400A(l)	68.3	246	205.0		315
	113.9	410	179.0		
	136.9	493	168.0		
HSN200-125-400A(2)	66.1	238	184.0	2950	280
	110.0	396	163.0		

	131.9	475	150.0		
HSN200-125-400A(3)	62.5	225	166.0		250
	104.2	375	147.0		
	124.7	449	133.0		
HSN200-125-480A(l)	30.8	111	89	1480	110
	93.0	335	79		
	107.8	388	74		
HSN200-125-480A(2)	28.3	102	78		90
	82.5	297	69		
	99.4	358	62		
HSN200-125-480A(3)	25.5	92	67		75
	71.4	257	58		
	85	306	53		
HSN200-125-480B(l)	28.3	102	84	1480	90
	83.3	300	72		
	104.7	377	64		
HSN200-125-480B(2)	27	97.2	73		75
	77.8	280	63		
	90.8	327	57		
HSN200-125-480B(3)	25.1	90.4	63		55
	64.8	233.3	55		
	80.1	288.4	48		
HSN200-150-300A(l)	45.3	163	30	1480	37
	125.5	452	22		
	172.5	621	15		
HSN200-150-300A(2)	42.8	154	26		30
	116.4	419	19		
	155.8	561	13		
HSN200-150-300A(3)	36.9	133	23		30
	106.9	384.8	16		

	136.1	490	12		
HSN200-150-300B(l)	39.7	143	29	1480	37
	112.5	405	21		
	148.6	535	15		
HSN200-150-300B(2)	38.3	138	25		
	102.8	370	19		30
	140.5	506	12		
HSN200-150-300B(3)	36.4	131	23		
	96.4	347	15		22
	126.4	455	11		
HSN200-150-350A(l)	51.1	184	47	1480	
	126.7	456	39		
	167.8	604	32		
HSN200-150-350A(2)	49.7	179	40.5		
	114.4	412	32		55
	150	592	26		
HSN200-150-350A(3)	45.8	165	35		
	102.8	370	26		37
	140.3	505	19		
HSN200-150-350B(l)	42.5	153	47	1480	
	115.5	416	37		
	155.8	561	28		
HSN200-150-350B(2)	39.7	143	40		
	106.1	382	31		55
	133.3	480	24		
HSN200-150-350B(3)	36.9	133	34		
	97.5	351	26		37
	130.3	469	18		
HSN200-150-365A(l)	58.1	209	183.8	250	
	96.9	349	160.6		

	116.4	419	151.0		
HSN200-150-365A(2)	56.1	202	165.4	2950	220
	93.6	337	146.2		
	112.2	404	134.3		
HSN200-150-365A(3)	53.1	191	149.4		200
	88.6	319	131.9		
	106.1	382	119.1		
HSN200-150-450A(l)	56.7	204	78		160
	146.1	526	68.5		
	181.4	653	59.5		
HSN200-150-450A(2)	53.9	194	66.5	1480	110
	132.8	478	56.5		
	170	612	47		
HSN200-150-450A(3)	51.1	184	54.5		75
	118.6	427	45		
	153	551	36.5		
HSN200-150-450B(l)	42.5	153	74		110
	124.7	449	62.5		
	165	594	50		
HSN200-150-450B(2)	39.7	143	62.5	1480	90
	113.9	410	52		
	150	561	38		
HSN200-150-450B(3)	36.7	132	51.5		75
	101.7	366	43		
	135	500	32		
HSN200-150-560A(l)	56.7	204	125.8		250
	165.5	596	109.2		
	206.9	745	95.8		
HSN200-150-560A(2)	51.1	184	109.2	1480	200
	151.9	547	92		

	186.9	673	83.2		
HSN200-150-560A(3)	47.8	172	94.4	1480	185
	139.7	503	81		
	175.5	632	69.7		
	56.7	204	113.4		
HSN200-150-560B(1)	152.2	548	93.6	1480	200
	175.5	632	85.2		
	42.5	153	99.8		
HSN200-150-560B(2)	141.7	510	81.1	1480	185
	164.4	592	72.8		
	41.3	149	86.3		
HSN200-150-560B(3)	132.8	478	71.2	1480	160
	153	551	63.4		
	100.0	360	17.5		
HSN250-200-250A(1)	134.7	485	14	1480	30
	160.0	576	11		
	94.4	340	15.6		
HSN250-200-250A(2)	127.2	458	12.5	1480	30
	150.0	540	9.8		
	88.9	320	13.7		
HSN250-200-250A(3)	119.4	430	11	1480	22
	140.0	504	8.6		
	70.8	255	41.5		
HSN250-200-350A(1)	196.9	709	31	1480	75
	266.4	959	21		
	68	245	36.5		
HSN250-200-350A(2)	181.7	654	26.5	1480	75
	239.4	862	18.5		
	65.3	235	31.5		
HSN250-200-350A(3)	170	612	22.5	1480	55

	212.5	765	17				
HSN250-200-350B(l)	70.8	255	39	1480	75		
	180.5	650	29.5				
	246.4	887	19				
HSN250-200-350B(2)	68	245	34.5		1480	75	
	168.9	608	26.5				
	225.3	811	18				
HSN250-200-350B(3)	66.7	240	30			1480	55
	156.4	563	22				
	199.7	719	16				
HSN250-200-400A(l)	75	270	65	1480			160
	201	724	54				
	270	972	43				
HSN250-200-400A(2)	70.5	254	66.5		1480		110
	178.4	642	45				
	253.6	913	32.5				
HSN250-200-400A(3)	67.5	243	47.5			1480	90
	165.8	579	37				
	220.8	795	26				
HSN250-200-400B(l)	71	255	63.5	1480			132
	183.5	661	50				
	245	882	38.5				
HSN250-200-400B(2)	67	241	54		1480		90
	163.5	589	42				
	212.5	765	33.5				
HSN250-200-400B(3)	61	219	46			1480	75
	148.5	535	36				
	204	734	26				
HSN250-200-550A(l)	134.5	484	104	1480			315
	231	833	94				

	306	1101	78.5		
HSN250-200-550A(2)	130	469	88	1480	250
	212	774	78.8		
	273	984	67		
HSN250-200-550A(3)	125	449	72.5		185
	194.5	700	63.5		
	256	923	54		
HSN250-200-550B(l)	73.5	265	102		250
	208	749	85		
	270	974	69.5		
HSN250-200-550B(2)	71	255	86	1480	200
	190	683	71		
	249	897	60		
HSN250-200-550B(3)	68	245	71		160
	177	637	59		
	232	836	48		
HSN250-200-650A(l)	79.4	286	173.5		500
	224.5	808	156		
	260	934	148		
HSN250-200-650A(2)	76.5	275	149.8	1480	400
	206.7	744	135.1		
	255	918	119.6		
HSN250-200-650A(3)	73.5	265	129		315
	189.5	682	115		
	245	881	97		
HSN250-200-650B(l)	71	735	159		400
	204	735	138		
	243.6	877	127		
HSN250-200-650B(2)	68	245	137	1480	355
	190	684	119		

	224	806	110			
HSN250-200-650B (3)	65	235	118		280	
	176	634	102.5			
	204	734	96			
HSN300-250-300A(l)	170.0	612	22	1480	55	
	219.4	790	19			
	259.7	935	14			
HSN300-250-300A(2)	152.2	548	20.3			
	206.9	745	17			
	240.8	867	13			
HSN300-250-300A(3)	134.7	485	18.5			45
	194.4	700	15			
	221.7	798	12.1			
HSN300-250-400A(l)	113	408	52	1480	160	
	298	1073	40.5			
	411	1479	29			
HSN300-250-400A(2)	108	388	46			
	274	987	35.5			
	371	1336	25			
HSN300-250-400A(3)	107.5	387	39.5			110
	259	933	29			
	328.5	1183	21.5			
HSN300-250-400B(l)	113	408	52.5	1480	160	
	292	1050	38.5			
	386	1390	28			
HSN300-250-400B(2)	111	398	45.6			132
	271	977	33.5			
	365	1316	23			
HSN300-250-400B(3)	106	383	39.5			110
	249	898	29			



	331	1193	21				
HSN300-250-475A(l)	119	428	86	1480	315		
	332.5	1197	68.5				
	455.5	1640	52				
HSN300-250-475A(2)	113	408	71.5		1480	250	
	293.5	1057	58.5				
	411	1479	43.5				
HSN300-250-475A(3)	105	377	61			1480	185
	276	994	47.5				
	354	1275	37.5				
HSN300-250-475B(l)	113	408	78	1480			250
	306	1102	57.5				
	411	1479	39.5				
HSN300-250-475B(2)	105	377	66.5		1480		200
	275	990	50				
	368.3	1326	35				
HSN300-250-475B(3)	99	357	56			1480	160
	258	929	42				
	331	1193	31				
HSN300-250-600A(l)	227	816	136	1480			560
	352	1266	120.5				
	464	1672	102				
HSN300-250-600A(2)	212	765	119.5		1480		450
	327	1177	104				
	453	1632	82				
HSN300-250-600A(3)	198	714	100.5			1480	355
	305	1098	87.5				
	419	1509	67.5				
HSN300-250-600B(l)	113	408	131	1480			450
	295	1064	108				

	401	1443	83.5		
HSN300-250-600B(2)	110	398	114.5	1480	355
	275	991	94		
	360	1296	77		
HSN300-250-600B(3)	108	388	96		280
	250	901	77.5		
	340	1224	60.5		
HSN300-250-700A(l)	95.8	345	196.4		710
	270.3	973	176.6		
	312.5	1125	167.6		
HSN300-250-700A(2)	91.9	331	169.6	1480	560
	248.9	896	152.9		
	307.2	1106	135.4		
HSN300-250-700A(3)	88.6	319	146.0		500
	228.3	822	130.2		
	294.7	1061	109.8		
HSN300-250-800A(l)	216.1	778	235.0	1480	1120
	360.0	1296	216.0		
	431.9	1555	200.0		
HSN300-250-800A(2)	196.7	708	194.6		800
	327.6	1179	178.9		
	393.1	1415	165.6		
HSN300-250-800A(3)	179.0	644	161.2		630
	298.1	1073	148.1		
	357.7	1288	137.1		
HSN300-300-250A(l)	170.0	612	14.5		37
	219.4	790	12		
	250.0	900	10		
HSN300-300-250A(2)	156.7	564	13	1480	37
	204.7	737	11		

	233.3	840	9.3			
HSN300-300-250A(3)	143.1	515	11.5		30	
	190.0	684	10			
	216.9	781	8.5			
HSN350-300-350A(l)	142	510	35	1480	110	
	312	1123	25.5			
	418	1504	17			
HSN350-300-350A(2)	136	490	29.5			
	289	1040	21			
	403	1453	11.8			
HSN350-300-350A(3)	130	468	25			75
	270	972	17			
	365	1315	8			
HSN350-300-350B(l)	113	408	32	1480	90	
	265	956	23.5			
	340	1224	17			
HSN350-300-350B(2)	110	396	27.8			
	248	893	21			
	320	1152	13.9			
HSN350-300-350B(3)	105	377	24.5			55
	227	817	17.5			
	306	1101	11			
HSN350-350-300A(l)	270.0	972	20	1480	75	
	350.0	1260	16			
	400.0	1440	13.4			
HSN350-350-300A(2)	246.1	886	16.9			
	320.0	1152	14.5			
	375.0	1350	11.7			
HSN350-350-300A(3)	222.2	800	13.7			55
	290.0	1044	13			

	350.0	1260	10		
HSN400-300-450A(l)	198	714	70.5	1480	355
	475	1711	55		
	650	2340	40		
HSN400-300-450A(2)	187	673	61.5		
	446	1607	47		280
	595	2142	33		
HSN400-300-450A(3)	175	632	52		
	418	1505	38		220
	510	1836	28.5		
HSN400-300-450B(l)	170	612	70.5	1480	
	458	1650	53.5		
	634	2284	36.5		
HSN400-300-450B(2)	164	592	61.5		
	430	1548	47		250
	578	2080	31.5		
HSN400-300-450B(3)	158	571	53		
	403	1450	39		220
	527	1897	27		
HSN400-300-550A(l)	198	714	115.5	1480	
	495	1782	98		
	666	2397	80.5		
HSN400-300-550A(2)	193	694	96		
	466	1678	80.5		500
	615	2213	66.5		
HSN400-300-550A(3)	184	663	80.5		
	445	1604	65.5		400
	604	2174	51		
HSN400-300-550B(l)	170	612	104	500	
	439	1581	83		

	603	2172	62.5		
HSN400-300-550B(2)	167	602	89.5	1480	400
	410	1476	70		
	561	2019	52.5		
HSN400-300-550B(3)	164	592	76		315
	385	1387	59		
	515	1856	47.1		
HSN400-300-700A(l)	255	918	190		1120
	565	1871	167.5		
	595	2035	163		
HSN400-300-700A(2)	272	979	163	1480	900
	491	1769	144.5		
	575	2070	131		
HSN400-300-700A(3)	227	816	140.5		710
	460	1655	119.5		
	532	1917	108		
HSN400-300-700B(l)	170	612	178		900
	478	1723	144.5		
	612	2203	121		
HSN400-300-700B(2)	164	592	153	1480	710
	445	1604	124		
	566	2040	104		
HSN400-300-700B(3)	153	550	127		560
	410	1479	103		
	515	1856	90		
HSN400-350-400A(l)	170	612	47		220
	490	1764	33		
	645	2322	21.5		
HSN400-350-400A(2)	164	592	41.5	1480	185
	479	1725	27.5		

	612	2203	17.5		
HSN400-350-400A(3)	158	570	35		160
	465	1674	22		
	588	2120	13		
HSN400-350-400B(l)	142	510	44	1480	185
	402	1450	32		
	500	1800	25		
HSN400-350-400B(2)	130	468	39.5		160
	378	1361	27.5		
	510	1836	18		
HSN400-350-400B(3)	120	432	33.5		132
	360	1296	23.9		
	455	1640	16		
HSN400-350-520A(l)	383	1380	90.5	1480	710
	739	2660	73		
	1000	3600	53		
HSN400-350-520A(2)	311	1120	81.5		560
	687	2475	62.5		
	950	3420	42		
HSN400-350-520A(3)	212	765	71		450
	632	2275	52		
	807	2905	39.5		
HSN400-350-520B(l)	242	870	92	1480	630
	694	2500	70		
	948	3415	50		
HSN400-350-520B(2)	226	815	81.5		500
	641	2310	61		
	907	3265	41		
HSN400-350-520B(3)	212	765	70		400
	592	2130	52		

	807	2905	36.5		
HSN400-350-600A(1)	408	1469	143.5	1480	1000
	623	2242	130		
	765	2754	115.5		
HSN400-350-600A(2)	378	1361	132.5		
	576	2074	121		
	749	2697	100		
HSN400-350-600A(3)	355	1279	121		
	547	1930	110		
	714	2570	91.5		
HSN450-400-400A(1)	303	1089	45.4	1480	250
	504	1815	40		
	605	2178	33.3		
HSN450-400-400(2)	288	1035	41		
	479	1724	36.1		
	575	2069	30.1		
HSN450-400-400(3)	272	980	36.8		
	454	1634	32.4		
	544	1960	27		
HSN500-350-550A(1)	450.0	1620	40	980	280
	561.1	2020	35		
	650.0	2340	28		
HSN500-350-550A(2)	419.4	1510	35.5		
	523.1	1883	31		
	605.6	2180	24.5		
HSN500-350-550A(3)	388.9	1400	31		
	485.0	1746	27		
	561.1	2020	21		
HSN500-400-450A(1)	283	1020	61.5		450
	778	2800	45		

	992	3570	32		
HSN500-400-450A(2)	269	970	52.5	1480	400
	720	2592	38		
	950	3420	25		
HSN500-400-450A(3)	255	920	44.5		315
	685	2466	31		
	900	3315	20		
HSN500-400-500A(l)	406.1	1462	28.4		200
	645.3	2323	21.6		
	783.3	2820	16.8		
HSN500-400-500A(2)	400.8	1443	27.5	980	185
	631.1	2272	19.8		
	754.4	2716	15.2		
HSN500-400-500A(3)	393.6	1417	26.2		160
	616.1	2218	18.0		
	725.3	2611	16.4		
HSN500-400-550A(l)	434	1565	102		900
	745	2682	89.5		
	968	3488	73.5		
HSN500-400-550A(2)	416	1500	94.5	1480	800
	714	2570	82		
	926	3335	66.5		
HSN500-400-550A(3)	402	1448	86		710
	685	2466	75		
	888	3200	59		
HSN500-400-550B(l)	373	1345	79		560
	619	2230	66.5		
	805	2900	49		
HSN500-400-550B(2)	361	1300	73	1480	450
	579	2085	60		



	752	2710	46		
HSN500-400-550B(3)	348	1255	63.5		400
	532	1915	53		
	694	2500	40		
HSN500-400-585A(l)	552.5	1989	43.0	980	355
	736.1	2650	36.0		
	920.8	3315	28.4		
HSN500-400-585A(2)	534.4	1924	38.7		
	712.5	2565	32.7		315
	890.8	3207	25.0		
HSN500-400-585A(3)	517.2	1862	34.8		
	689.7	2483	29.3		
	862.2	3104	21.7		
HSN500-400-600A(l)	543	1957	135	1480	1400
	899	3239	117.5		
	1161	4182	97		
HSN500-400-600A(2)	504	1815	123.5		
	852	3067	107.5		1120
	1107	3988	87		
HSN500-400-600A(3)	493	1774	113.5		
	828	2980	96.5		
	1076	3876	73.5		
HSN500-400-600B(l)	444	1600	105	1480	800
	708	2550	93.5		
	920	3315	70.5		
HSN500-400-600B(2)	428	1540	97		710
	686	2470	85		
	877	3160	65.5		
HSN500-400-600B(3)	425	1530	89		630
	666	2400	77		

	850	3060	56				
HSN500-400-700A(l)	398	1433	78.0	980	560		
	617	2220	68.5				
	796	2866	56.8				
HSN500-400-700A(2)	348	1253	68.2		980	450	
	570	2052	59				
	697	2507	51.2				
HSN500-400-700A(3)	299	1075	59.4			980	355
	500	1800	50				
	627	2257	46.1				
HSN500-400-950A(l)	487	1791	151.5	980			1250
	796	2866	133.6				
	970	3492	118.5				
HSN500-400-950A(2)	423	1523	133.8		980		1000
	720	2592	115				
	870	3132	103				
HSN500-400-950A(3)	373	1343	116			980	800
	640	2304	102				
	796	2866	90.5				
HSN500-450-400A(l)	397.8	1432	15.5	980			110
	560.0	2016	13.2				
	681.9	2455	10.9				
HSN500-450-400A(2)	375.8	1353	13.9		980		90
	536.9	1933	11.6				
	644.2	2319	9.3				
HSN500-450-400A(3)	358.1	1289	12.5			980	75
	511.7	1842	10.3				
	613.9	2210	8.2				

泵型号 Type	法兰尺寸 Flange size (GB/T17241. 6)										泵外形尺寸 Pump dimension					
	DN <sub>1</sub>	D <sub>1</sub>	Dg <sub>1</sub>	b <sub>1</sub>	n-d <sub>2</sub>	DN <sub>2</sub>	D <sub>2</sub>	Dg <sub>2</sub>	b <sub>2</sub>	n-d <sub>3</sub>	L	L <sub>1</sub>	B	B <sub>1</sub>	H	H <sub>1</sub>
HSN125-80-200	125	250	210	26	8-Φ19	80	200	160	22	8-Φ19	689	385	560	280	448	280
HSN125-80-300	125	250	210	26	8-Φ19	80	200	160	22	8-Φ19	689	385	560	280	465	280
HSN125-80-350	125	250	210	26	8-Φ19	80	200	160	22	8-Φ19	689	385	600	300	500	280
HSN150-100-250	150	285	240	26	8-Φ23	100	220	180	24	8-Φ19	689	385	600	300	510	315
HSN150-100-400	150	285	240	26	8-Φ23	100	220	180	24	8-Φ19	689	385	660	330	575	315
HSN200-125-250	200	285	295	30	12-Φ23	125	250	210	26	8-Φ19	839	475	655	300	585	375
HSN200-125-300	200	285	295	30	12-Φ23	125	250	210	26	8-Φ19	839	475	655	300	605	375
HSN200-125-325	200	285	295	30	12-Φ23	125	250	210	26	8-Φ19	839	475	655	300	613	375
HSN200-125-385	200	285	295	30	12-Φ23	125	250	210	26	8-Φ19	839	475	690	335	635	375
HSN200-125-400	200	340	295	26	8-Φ23	125	270	220	30	8-Φ28	941	525	825	375	693	430
HSN200-125-480	200	285	295	30	12-Φ23	125	250	210	26	8-Φ19	839	475	775	375	680	375
HSN200-150-300	200	285	295	30	12-Φ23	150	285	240	26	8-Φ23	839	475	655	300	585	375
HSN200-150-350	200	285	295	30	12-Φ23	150	285	240	26	8-Φ23	839	475	730	355	585	375
HSN200-150-365	200	360	310	34	12-Φ28	150	300	250	34	8-Φ28	921	515	800	375	650	400
HSN200-150-450	200	285	295	30	12-Φ23	150	285	240	26	8-Φ23	929	520	800	400	675	375
HSN200-150-560	200	360	310	34	12-Φ28	150	300	250	34	8-Φ28	929	520	980	450	865	500
HSN250-200-250	250	395	350	28	12-Φ23	200	340	295	26	8-Φ23	826	450	745	330	665	415
HSN250-200-350	250	405	355	32	12-Φ28	200	340	295	30	12-Φ23	969	540	800	400	735	450
HSN250-200-400	250	405	355	32	12-Φ28	200	340	295	30	12-Φ23	929	520	850	400	760	450
HSN250-200-550	250	405	355	32	12-Φ28	200	340	295	30	12-Φ23	1034	590	1050	500	865	500
HSN250-200-650	250	425	370	36	12-Φ31	200	360	310	34	12-Φ28	1034	590	1100	500	990	560
HSN300-250-300	300	445	400	28	12-Φ23	250	395	350	28	12-Φ23	951	515	900	400	769	475
HSN300-250-400	300	460	410	32	12-Φ28	250	405	355	32	12-Φ28	1034	590	950	450	875	560
HSN300-250-475	300	460	410	32	12-Φ28	250	405	355	32	12-Φ28	1195	680	1000	500	910	560
HSN300-250-600	300	485	430	40	16-Φ31	250	425	370	36	12-Φ31	1195	680	1200	550	1020	600
HSN300-250-700	300	485	430	40	16-Φ31	250	425	370	36	12-Φ31	1195	700	1300	600	1140	680
HSN300-250-800	300	515	450	50	16-Φ34	250	450	385	46	12-Φ34	1289	730	1415	650	1185	670
HSN300-300-250	300	445	400	28	12-Φ23	300	445	400	28	12-Φ23	1051	565	870	350	810	520
HSN350-300-350	350	520	470	36	16-Φ28	300	460	410	32	12-Φ28	1034	590	1000	450	910	560
HSN350-350-300	350	505	460	30	16-Φ23	350	505	460	30	16-Φ23	1141	620	1000	400	932	600
HSN400-300-450	400	580	525	38	16-Φ31	300	460	410	32	12-Φ28	1195	680	1100	500	1035	670
HSN400-300-550	400	580	525	38	16-Φ31	300	460	410	32	12-Φ28	1345	760	1250	550	1100	670
HSN400-300-700	400	620	550	48	16-Φ37	300	485	430	40	16-Φ31	1345	760	1400	650	1195	710
HSN400-350-400	400	580	525	38	16-Φ31	350	520	470	36	16-Φ28	1195	680	1200	550	1075	670
HSN500-350-550	500	670	620	34	20-Φ28	350	505	460	30	16-Φ23	1280	710	1260	560	1220	760
HSN500-400-450	500	715	650	42	20-Φ34	400	580	525	38	16-Φ31	1425	800	1200	1200	1170	750
HSN500-400-500	500	670	620	34	20-Φ28	400	565	515	32	16-Φ28	1351	750	1265	500	1286	770
HSN500-400-585	500	670	620	34	20-Φ28	400	565	515	32	16-Φ28	1486	830	1360	600	1322	800
HSN500-450-400	500	670	620	34	20-Φ28	450	615	565	32	20-Φ28	1340	725	1350	550	1222	785

ns		泵脚尺寸													轴伸	
H <sub>2</sub>	H <sub>3</sub>	L <sub>2</sub>	L <sub>3</sub>	L <sub>4</sub>	L <sub>5</sub>	L <sub>6</sub>	B <sub>2</sub>	B <sub>3</sub>	B <sub>4</sub>	B <sub>5</sub>	B <sub>6</sub>	S	n-d <sub>1</sub>	l	d	
140	140	320	270	260	210	80	205	205	170	170	70	15	4-Φ19	80	34.5	
140	140	320	270	260	210	80	205	205	170	170	70	15	4-Φ19	80	34.5	
140	140	320	270	260	210	80	205	205	170	170	70	15	4-Φ19	80	34.5	
170	170	320	270	260	210	80	205	205	170	170	70	15	4-Φ19	80	34.5	
170	170	320	270	260	210	80	205	205	170	170	70	15	4-Φ19	80	34.5	
200	200	390	340	240	190	80	240	240	200	200	80	20	4-Φ19	110	44.5	
200	200	390	340	240	190	80	240	240	200	200	80	20	4-Φ19	110	44.5	
200	200	390	340	240	190	80	240	240	200	200	80	20	4-Φ19	110	44.5	
200	200	390	340	240	190	80	265	265	225	225	80	20	4-Φ19	110	44.5	
225	225	370	300	370	300	85	245	245	200	200	90	25	4-Φ28	110	48	
200	200	390	340	240	190	80	265	265	225	225	80	20	4-Φ19	110	44.5	
200	200	390	340	240	190	80	265	265	225	225	80	20	4-Φ19	110	44.5	
200	200	390	340	240	190	80	265	265	225	225	80	20	4-Φ19	110	44.5	
190	250	390	340	390	340	/	260	260	210	210	100	20	4-Φ19	110	48	
200	200	480	430	250	200	80	300	300	250	250	100	20	4-Φ19	110	54.5	
300	300	480	430	250	200	80	375	375	325	325	100	20	4-Φ19	110	54.5	
210	210	440	390	300	250	80	260	260	210	210	100	20	4-Φ19	65	30	
240	240	480	430	300	250	80	300	300	250	250	100	20	4-Φ19	110	54.5	
240	240	480	430	300	250	80	300	300	250	250	100	20	4-Φ19	110	54.5	
300	300	480	430	310	250	100	390	390	325	325	130	25	4-Φ24	140	64.5	
350	350	480	400	310	250	100	390	390	325	325	130	25	4-Φ28	140	64.5	
250	250	460	380	395	315	100	310	310	263	263	95	25	4-Φ23	80	40	
300	300	480	430	310	250	100	350	350	300	300	100	25	4-Φ24	140	64.5	
300	300	530	450	310	250	100	385	385	325	325	120	25	4-Φ27	160	74.5	
350	350	530	450	310	250	100	420	420	350	350	140	28	4-Φ28	160	74.5	
375	375	520	420	520	420	140	445	445	370	370	150	30	4-Φ27	200	69	
410	410	600	520	600	520	150	525	525	425	425	200	32	4-Φ28	170	79	
290	290	480	400	380	300	100	320	240	260	180	120	25	4-Φ23	80	40	
300	300	480	430	360	300	100	350	350	300	300	100	25	4-Φ24	140	64.5	
355	355	580	500	480	400	125	400	300	325	225	150	25	4-Φ23	100	40	
350	350	530	450	360	300	100	385	385	325	325	120	28	4-Φ24	160	74.5	
350	350	650	550	400	300	120	450	450	375	375	150	30	4-Φ28	170	84.5	
400	400	650	550	400	300	120	525	525	450	450	150	32	4-Φ28	170	84.5	
350	350	530	450	400	320	100	420	420	350	350	140	28	4-Φ24	160	74.5	
415	415	650	500	550	400	150	500	450	400	350	200	30	4-Φ35	140	60	
385	385	650	550	500	400	120	475	475	400	400	150	30	4-Φ28	170	84.5	
428	428	850	700	550	400	150	500	375	400	275	200	30	4-Φ35	140	65	
445	445	880	764	770	654	150	600	450	510	362	180	40	4-Φ36	170	75	
443	443	850	700	600	450	150	500	400	400	300	200	30	4-Φ35	110	50	

Φ