

Тип модели	поток Емкость вопрос м3/ч	Янчэн Голова ЧАС м	Скорость в ращения Скорость н об/мин	Мощность двигателя Власть кВт
40/25В-АНК(R)	3.6	7	1200	2.2
	7.56	6		
	11.52	5		
40/25В-АНК(R)	4.39	9.7	1420	2.2
	8.39	8.7		
	12.42	7.2		
40/25В-АНК(R)	4.68	12	1600	2.2
	8.64	11.5		
	12.6	10		
40/25В-АНК(R)	5.04	15.4	1800	3
	9.36	14.6		
	13.68	13		
40/25В-АНК(R)	5.4	19	2000	3
	10.08	18		
	14.4	16.5		
40/25В-АНК(R)	5.76	23	2200	4
	10.44	22		
	15.12	20		
40/25В-АНК(R)	6.12	27.3	2400	5.5
	11.16	26		
	15.84	24		
40/25В-АНК(R)	6.48	32	2600	7.5
	11.52	30.8		
	16.56	28.5		
40/25В-АНК(R)	6.48	37.1	2800	7.5
	11.88	35.8		
	17.28	33.4		
	6.48	40.5		

40/25B-AHK(R)	12.24	39.2	2920	7.5
	18	36.5		
40/25B-AHK(R)	6.48	43	3000	11
	12.24	41.5		
	18	38.5		
40/25B-AHK(R)	6.48	49	3200	11
	12.6	47.5		
	18.72	44		
40/25B-AHK(R)	6.84	55.5	3400	11
	14.76	53		
	19.44	50.2		
40/25B-AHK(R)	6.84	62	3600	15
	14.76	59.6		
	20.88	56.3		
40/25B-AHK(R)	6.84	69	3800	15
	15.12	66.7		
	21.6	63		
50/40B-AHK(R)	7.2	8.5	1200	2.2
	14.4	8		
	21.6	7		
50/40B-AHK(R)	7.92	12	1420	3
	15.12	11.2		
	22.68	10.3		
50/40B-AHK(R)	9	15.1	1600	4
	18	14.4		
	25.92	13		
50/40B-AHK(R)	10.8	19.5	1800	5.5
	19.8	18.3		
	28.8	17		
50/40B-AHK(R)	11.52	24	2000	7.5
	21.6	23		

	33.12	20.8		
50/40B-AHK(R)	12.96	29	2200	11
	25.2	27.4		
	36	25		
50/40B-AHK(R)	14.4	34.4	2400	11
	27	32.6		
	38.88	29.6		
50/40B-AHK(R)	15.48	40.4	2600	15
	28.8	38.3		
	42.48	34.6		
50/40B-AHK(R)	16.2	47	2800	15
	30.6	45		
	46.08	40.05		
50/40B-AHK(R)	18	54	3000	15
	32.4	51		
	48.6	46		
75/50C-AHK(R)	21.6	14.5	1300	5.5
	32.4	14		
	42.48	13		
75/50C-AHK(R)	25.2	17.3	1440	5.5
	36	16.7		
	46.08	15.8		
75/50C-AHK(R)	25.2	19.3	1500	7.5
	36	18.7		
	48.6	17.5		
75/50C-AHK(R)	27	22	1600	7.5
	39.6	21		
	52.2	20		
75/50C-AHK(R)	28.8	24.8	1700	11
	43.2	23.8		
	55.8	22.2		

75/50C-AHK(R)	30.24	27.8	1800	15
	45	26.3		
	58.68	25		
75/50C-AHK(R)	32.4	31	1900	15
	46.8	30		
	61.2	28		
75/50C-AHK(R)	33.48	34.2	2000	15
	50.4	32.6		
	65.52	30.7		
75/50C-AHK(R)	35.28	38	2100	22
	52.2	36.1		
	69.12	34		
75/50C-AHK(R)	37.08	41.3	2200	22
	54	39.7		
	72	37.4		
75/50C-AHK(R)	37.8	45.2	2300	30
	57.6	43.4		
	75.6	40.5		
75/50C-AHK(R)	46.08	53.5	2500	30
	64.8	51		
	81	48		
75/50C-AHK(R)	50.4	62.3	2700	30
	64.8	60		
	88.56	56		
100/75C-AHK(R)	28.8	11	1000	5.5
	68.4	10.1		
	108	7.6		
100/75C-AHK(R)	32.4	13.2	1100	7.5
	72	12.2		
	111.6	9.6		
	36	15.9		

100/75C-AHK(R)	75.5	14.7	1200	11
	115.92	12.2		
100/75C-AHK(R)	39.6	18.6	1300	11
	82.8	17.2		
	122.4	14.6		
100/75C-AHK(R)	43.2	21.6	1400	15
	86.47	20.2		
	126.7	17.3		
100/75C-AHK(R)	45	23.4	1460	15
	90	21.8		
	129.6	19		
100/75C-AHK(R)	50.4	28	1600	18.5
	93.6	26.4		
	136.8	23		
100/75C-AHK(R)	54	31.8	1700	22
	100.8	30		
	144	26		
100/75C-AHK(R)	54	35.6	1800	30
	100.8	33.6		
	149.4	29.5		
100/75C-AHK(R)	57.6	39.7	1900	30
	108	37.6		
	154.8	33.2		
100/75C-AHK(R)	61.2	44	2000	30
	108	42		
	154.8	37.1		
100/75D-AHK(R)	39.7	9.8	1000	5.5
	70.5	9.1		
	89.2	7.9		
100/80D-AHK(R)	43.7	11.8	1100	7.5
	77.6	11		

	98.1	9.5		
100/80D-AHK(R)	47.7	14	1200	11
	84.6	13		
	106.9	11.2		
100/80D-AHK(R)	51.7	16.5	1300	11
	91.7	15.4		
	115.9	13.3		
100/80D-AHK(R)	55.7	19.1	1400	18.5
	98.8	17.8		
	124.9	15.4		
100/80D-AHK(R)	58.1	20.8	1460	18.5
	103	19.4		
	130.1	16.8		
100/80D-AHK(R)	63.6	25	1600	22
	112.8	23.3		
	142.6	20.1		
100/80D-AHK(R)	67.6	28.3	1700	30
	119.9	26.3		
	151.6	22.7		
100/80D-AHK(R)	71.6	31.7	1800	37
	127	29.5		
	160.6	25.5		
100/80D-AHK(R)	75.5	35.2	1900	37
	134	32.8		
	169.5	28.3		
100/80D-AHK(R)	79.5	39.1	2000	45
		36.4		
	78.3	31.5		
100/80D-AHK(R)	87.5	47.3	2200	55
	155.2	44		
	196.3	38		

150/100D-AHK(R)	83.6	15.4	800	18.5
	162.1	14.6		
	212.4	12.5		
150/100D-AHK(R)	94.1	19.6	900	30
	182.4	18.5		
	239	15.8		
150/100D-AHK(R)	102.5	23.2	980	37
	198.6	21.9		
	260.2	18.8		
150/100D-AHK(R)	145.6	24.1	1000	37
	202.7	22.8		
	265.6	19.5		
150/100D-AHK(R)	115	29.2	1100	45
	222.9	27.6		
	292	23.7		
150/100D-AHK(R)	125.5	34.7	1200	55
	243.2	32.8		
	318.7	28.1		
150/100D-AHK(R)	135.9	40.7	1300	55
	263.5	38.5		
	345.2	33		
150/100E-AHK(R)	115	29.2	1100	45
	222.9	27.6		
	292	23.7		
150/100E-AHK(R)	125.5	34.7	1200	55
	243.2	32.8		
	318.7	28.1		
150/100E-AHK(R)	135.9	40.7	1300	75
	263.5	38.5		
	345.2	33		
	146.4	47.3		

150/100E-AHK(R)	283.7	44.7	1400	90
	371.7	38.3		
150/100E-AHK(R)	154.8	52.9	1480	110
	300	50		
	393.1	42.9		
150/100E-AHK(R)	156.8	54.3	1500	110
	304	51.3		
	398.3	44		
200/150E-AHK(R)	126	12	500	22
	225	11.4		
	324	10		
200/150E-AHK(R)	126	14.6	550	30
	252	13.5		
	360	12.2		
200/150E-AHK(R)	144	17.4	600	37
	270	16.3		
	396	14.6		
200/150E-AHK(R)	162	20.2	650	45
	306	19		
	432	17		
200/150E-AHK(R)	162	23.6	700	55
	306	22.2		
	450	20		
200/150E-AHK(R)	169.2	26	740	55
	324	24.5		
	482.4	22		
200/150E-AHK(R)	180	30.8	800	75
	360	29		
	522	26		
200/150E-AHK(R)	197.3	34.6	850	90
	374	33		



	554	29.3		
200/150E-AHK(R)	208.8	38.8	900	110
	396	37		
	586.8	32.8		
200/150E-AHK(R)	218.2	42.3	940	110
	413.6	40.4		
	612.7	35.8		
200/150E-AHK(R)	229.3	46.1	980	110
	432	44		
	635	38.9		
200/150E-AHK(R)	234	48	1000	110
	441	45.8		
	648	40.5		
200/150R-AHK(R)	208.8	38.8	900	110
	396	37		
	586.8	32.8		
200/150R-AHK(R)	218.2	42.3	940	132
	413.6	40.4		
	612.7	35.8		
200/150R-AHK(R)	229.3	46.1	980	160
	432	44		
	635	38.9		
200/150R-AHK(R)	234	48	1000	160
	441	45.8		
	648	40.5		
200/150R-AHK(R)	252	58	1100	185
	485	55		
	720	49		
200/150R-AHK(R)	270	62	1140	185
	450	60		
	594	57		

250/200ST-AHK	216	14	400	45
	396	12.9		
	576	11.5		
250/200ST-AHK	234	16.1	440	55
	432	15.4		
	630	14		
250/200ST-AHK	252	19	470	75
	468	18		
	684	16.3		
250/200ST-AHK	270	21.7	500	75
	504	20.1		
	720	18.5		
250/200ST-AHK	295.2	25	540	90
	540	23.5		
	774	21.3		
250/200ST-AHK	324	29	580	90
	576	27.1		
	828	25		
250/200ST-AHK	331.2	31.1	600	110
	595	29.2		
	864	26.5		
250/200ST-AHK	345.6	33.5	625	110
	612	31.7		
	900	28.3		
250/200ST-AHK	360	36.2	650	160
	648	34.2		
	936	31		
250/200ST-AHK	381.6	39.3	675	185
	648	37		
	972	33.4		
	414	42.5		

250/200ST-AHK	720	39.8	700	185
	1008	36.1		
250/200ST-AHK	432	46	730	250
	741.6	43.1		
	1051.2	39.2		
300/250ST-AHK	316.8	12.7	350	45
	540	11.8		
	774	10.2		
300/250ST-AHK	360	16.2	400	75
	630	15.2		
	885.6	13.4		
300/250ST-AHK	381.6	19.7	440	90
	684	18.5		
	986.4	16.4		
300/250ST-AHK	414	22.9	470	90
	738	21		
	1051.2	18.4		
300/250ST-AHK	432	25.8	500	110
	774	23.9		
	1116	20.8		
300/250ST-AHK	406.8	28.5	525	132
	828	26.2		
	1170	23		
300/250ST-AHK	486	31	550	132
	864	29		
	1224	25.2		
300/250ST-AHK	504	34.1	580	185
	900	32		
	1296	28		
300/250ST-AHK	525.6	37	600	185
	936	34.2		

	1332	30.1		
300/250ST-AHK	540	40	625	185
	972	37.5		
	1393.2	33		
300/250ST-AHK	648	54.3	730	380
	1134	50.8		
	1620	45		
350/300ST-AHK	504	16	300	90
	900	15		
	1296	13.5		
350/300ST-AHK	540	19	25	110
	954	17.8		
	1368	16		
350/300ST-AHK	576	22	350	132
	1044	20.5		
	1470	18.7		
350/300ST-AHK	612	25.1	375	160
	1080	23.7		
	1584	21.2		
350/300ST-AHK	648	28.6	400	160
	1188	27		
	1692	24		
350/300ST-AHK	792	43	490	330
	1440	40.5		
	2088.6	36.2		
350/300ST-AHK	943.2	60.6	585	480
	1692	57.6		
	2455.2	51.6		
400/350TU-AH	720	13	250	45
	1224	12.5		
	1944	10		

400/350TU-AH	792	16	275	55
	1332	15		
	2088	13		
400/350TU-AH	864	19	300	75
	1440	18		
	2232	17.5		
400/350TU-AH	936	22	325	75
	1584	20		
	2304	18		
400/350TU-AH	295.2	25	350	90
	540	23.5		
	774	21.3		
400/350TU-AH	324	29	375	90
	576	27.1		
	828	25		
400/350TU-AH	331.2	31.1	400	110
	595	29.2		
	864	26.5		
400/350TU-AH	345.6	33.5	425	110
	612	31.7		
	900	28.3		
400/350TU-AH	360	36.2	450	160
	648	34.2		
	936	31		
400/350TU-AH	381.6	39.3	470	185
	648	37		
	972	33.4		
400/350TU-AH	1440	50	490	185
	2448	47		
	3204	44		
	1460	52		

400/350TU-AH	2412	49	500	250
	3240	45		
400/350TU-AH	1512	57	525	250
	2664	54		
	1051.2	39.2		
400/350TU-AH	1602	63	550	250
	2664	58		
	3528	54		
500/450TU-AH	1500	14	200	160
	2232	12.5		
	2844	11.5		
500/450TU-AH	1800	22	250	250
	2736	20		
	3528	16		
500/450TU-AH	2160	31	300	500
	3312	29		
	4176	26		
500/450TU-AH	2592	42.5	350	800
	3888	39		
	4860	36		
500/450TU-AH	2952	55	400	1120
	4320	51		
	5544	47		
40/25C-HHK	5.04	37.4	1400	11
	10.08	37		
	10.12	36.2		
40/25C-HHK	5.26	40.7	1460	11
	10.44	40.3		
	15.48	39.5		
40/25C-HHK	5.4	43	1500	15
	10.44	42.5		

	15.48	42		
40/25C-HHK	5.58	49	1600	15
	10.8	48.3		
	15.84	47.5		
40/25C-HHK	5.94	55	1700	18.5
	11.16	54.5		
	16.2	53.8		
40/25C-HHK	6.3	61.5	1800	22
	11.34	61		
	16.38	60		
40/25C-HHK	6.84	68.8	1900	22
	11.88	68.4		
	15.74	67.6		
40/25C-HHK	7.2	76.2	2000	30
	12.24	75.2		
	17.1	74		
40/25C-HHK	7.74	83.8	2100	30
	12.6	82.9		
	17.46	62.2		
40/25C-HHK	8.1	92	2200	30
	12.96	91.3		
	18	90		
75/50D-HHK	18	29	850	18.5
	45	30		
	72	28		
75/50D-HHK	19.44	37	950	22
	47.52	37.5		
	75.8	35		
75/50D-HHK	19.8	39.2	980	30
	40.02	39.7		
	75.6	37.8		

75/50D-HHK	21.6	45.1	1050	37
	50.04	45.5		
	78.12	44		
75/50D-HHK	24.48	54.8	1150	45
	52.56	55		
	80.64	53		
75/50D-HHK	27	64.3	1250	55
	55.08	65.1		
	82.8	63.8		
75/50D-HHK	28.8	75.2	1350	55
	56.88	75.5		
	84.6	74		
75/50D-HHK	30.6	87	1450	75
	58.68	88		
	86.4	86		
100/80E-HHK	35	18	600	18.5
	79.2	17.5		
	122.4	16		
100/80E-HHK	39.6	25	700	30
	86.4	24		
	129.6	22.5		
100/80E-HHK	43.2	32.5	800	45
	90	31.5		
	136.8	29.7		
100/80E-HHK	46.8	40.7	900	55
	95.4	39.5		
	144	37.5		
100/80E-HHK	50.4	48	980	55
	100.8	46.8		
	151.2	44.8		
	52.2	50.1		



100/80E-HHK	106.2	48.8	1000	75
	153	46.6		
100/80E-HHK	57.6	61	1100	90
	111.6	60		
	165.6	57		
100/80E-HHK	64.8	72.5	1200	110
	122.4	70.1		
	176.4	67.5		
100/80E-HHK	72	85.1	1300	110
	129.6	83.2		
	187.2	80		
150/100F-HHK	100	36	600	55
	180	35.5		
	250	34		
150/100F-HHK	122	48	700	90
	198	47		
	280	46		
150/100F-HHK	126	54	740	110
	216	53.5		
	306	52.5		
150/100F-HHK	144	63	800	132
	234	62.5		
	325	61		
150/100F-HHK	150	79.5	900	185
	270	79		
	370	77		
150/100F-HHK	170	96.5	990	220
	290	95		
	370	92		
150/100F-HHK	175	98	1000	250
	306	97		

	414	94		
--	-----	----	--	--