

модель	поток		Поднимат ь (м)	Скорость об/мин	Мощность двигателя (кВт)
	л/с	м3/ч			
SL250ZLB-100	570	158.3	1.56	1450	5.5
	550	152.8	2.00		
	510	141.7	2.54		
	498	138.2	2.95		7.5
	469	130.3	3.39		
	419	116.4	4.06		
SL350ZLB-70	949	263.6	3.45	1450	22
	812	225.6	6.00		
	736	204.5	7.30		
	1058	284.0	3.25		30
	861	239.2	6.65		
	712	197.7	8.42		
	1163	323.1	3.30		
	963	267.6	6.55		
	803	223.0	8.30		
	1224	340.0	4.07		
	1028	285.6	7.10		
	948	263.4	7.88		
	1284	356.7	4.30		
	1256	348.8	4.75		
1076	298.9	7.20			
SL350ZLB-70*	1318	366	3.91	1450	37
	1130	314	7.19		
	976	271	8.76		
	1408	391	3.99		
	1184	329	7.34		
	1001	278	9.02		
	1480	411	4.11		
	1260	350	7.42		
	1026	285	9.25		
	1548	430	4.37		
	1310	364	7.77		
	1055	293	9.46		
	1606	446	4.56		
	1350	375	7.93		
	1076	299	9.60		
	1688	469	4.93		45

	1411	392	8.35		
	1127	313	9.91		
SL350ZLB-100	1096.0	286	2.56	1450	22
	910.8	253	4.14		
	745.25	207	6.41		
	1144.8	318	2.43		
	1022.4	284	4.21		
	799.2	222	6.91		
	1245.6	346	2.35		
	1058.4	294	4.93		
	907.2	252	6.70		
	1339.2	372	2.47		
	1206.0	335	4.34		
	950.4	264	7.20		
	1425.6	396	2.73		
	1278.0	355	4.58		
	1029.6	286	7.20		
	1501.2	417	3.08		
	1368.0	380	4.57		
	1141.2	317	6.96		
SL350ZLB-125	1044	290	1.61		
	954	265	2.20		
	888	246.7	2.64		
	1235	343	2.25		
	1127	313	3.07		
	1084	301	3.41		
	1487	413	1.80		
	1321	367	3.56		
	1267	352	3.87		
	1215	338	4.32		
	1094	304	5.32		
	SL350ZLB-125	540	150	4.65	1450
688		191	3.20		
792		220	1.93		
655		182	5.36		
900		250	3.20		
1040		289	1.49		
832		231	5.96		
1116		310	3.30		
1264		351	1.54		
1094		304	5.32		
1321		367	3.56		

	1487	413	1.80		
	1156	321	6.13		
	1440	400	4.01		
	1628	452	2.30		
	1543	426	5.09		30
	1670	464	3.92		
	1800	500	2.89		
SL500ZLB-55	1981.1	550.3	6.85	980	75
	1843.2	512.0	8.00		
	1522.4	422.9	9.78		
	2183.4	606.5	6.65		
	1987.2	552.0	8.25		
	1599.5	444.3	10.12		
	2368.1	657.8	6.61		
	2131.2	592.0	8.50		
	1698.1	471.7	10.48		
	2536.2	704.5	6.67		
	2300.0	638.9	8.54		
	1801.8	500.5	10.82		
	2683.1	745.3	6.80		90
	2430.0	675.0	8.70		
	2212.2	614.5	10.02		
	2826.4	785.1	7.04		
2556.0	710.0	9.00			
2170.8	603.0	11.06			
SL500ZLB-85	2556	710	2.90	980	55
	2286	635	5.00		
	1674	465	8.50		
	2819	783	2.78		
	2498	694	5.50		
	2002	556	7.87		
	3006	835	3.15		
	2700	750	5.50		75
	2070	575	8.50		
	3240	900	3.56		
	2830	786	6.00		
	2365	657	8.09		
	3427	952	3.76		
	2995	832	6.23		
2646	735	7.76			
	1368	380	9.44		
	1760	489	7.00		

SL500ZLB-70G	2060	571	4.35	980	55
	1720	479	8.20		
	2010	559	6.43		
	2250	625	4.90		
	2099	583	7.00		
	2160	600	6.30		
	2510	696	3.90		
	2340	650	6.60		
	2560	711	5.50		
	2660	741	4.57		
	2700	750	5.60		
	2858	794	4.40		
SL500ZLB-70D	1020	282	5.32	740	30
	1310	364	3.95		
	1530	425	2.45		
	1175	326	5.16		
	1500	416	3.56		
	1675	456	2.76		
	1480	410	4.16		
	1610	447	3.56		
	1870	520	2.16		
	1710	475	3.95		
	1910	530	3.10		
	1990	552	2.63		
	1640	454	4.44		
	1960	545	3.52		
2100	582	2.82			
SL500ZLB-100D	900	250	2.55	740	15
	1080	300	2.25		18.5
	1260	350	1.52		
	1080	300	3.00		
	1260	350	2.25		
	1440	400	1.53		
	1287	357	2.85		
	1548	430	2.00		
	1678	466	1.60		
	1406	391	3.07		
	1635	459	2.31		
	1750	486	1.94		
	1510	422	3.23		
	1678	459	2.85		
	1750	486	2.55		

SL500ZLB-100G	1220	422	5.08	980	30
	1543	466	3.79		
	1890	486	1.80		
	1481	339	5.00		
	1726	429	3.98		
	2013	525	1.80		37
	1800	500	4.80		
	2077	577	3.60		
	2245	625	2.75		
	1965	546	5.36		45
	2220	616	4.15		
	2372	660	3.05		
	2005	557	5.93		55
	2250	625	5.14		
	2342	652	4.59		
SL500ZLB-105G	1765.5	490.42	5.96	980	45
	2052.9	570.26	4.14		
	2283.9	634.25	2.56		
	1798.4	499.55	6.91		55
	2299.3	638.69	4.21		
	2541.5	705.98	2.67		
	2040.6	566.84	6.70		
	2504.6	695.72	4.32		
	2800.2	777.83	2.35		
	2311.6	642.11	6.41		
	2708.6	752.44	4.34		
	2980.9	828.02	2.72		
	2570.2	713.95	6.08		
	2874.1	798.26	4.58		
	3169.1	880.48	2.98		
	2997.3	832.58	5.04		
	3079.4	855.39	4.57		
	3342.2	928.38	3.28		
SL500ZLB-105D	1250.9	347.47	3.56	740	22
	1529.2	424.78	2.30		
	1694.4	470.66	1.58		
	1339.6	372.11	3.83		
	1712.7	475.76	2.34		
	1853.4	514.84	1.69		
	1590.4	441.48	3.47		
	1804.5	501.25	2.62		
	2027.7	563.26	1.62		

SL500ZLB-105D	1590.4	441.78	3.99	740	30
	2018.6	560.72	2.41		
	2183.7	606.59	1.67		
	1728.0	480.01	3.99		
	2140.9	594.70	2.54		
	2361.1	655.87	1.65		
	1988.0	552.22	3.62		
	2293.8	637.18	2.54		
	2517.1	699.20	1.71		
SL500ZLB-125G	1620	450	4.55	980	30
	1962	545	3.20		
	2196	610	2.00		
	2070	575	4.75		37
	2394	665	3.30		
	2700	750	1.90		
	2484	690	4.80		45
	2844	790	3.50		
	3204	890	2.00		
	2808	780	5.10		55
	3240	900	3.60		
	3410	975	2.50		
	3636	1010	4.00		
3834	1065	3.60			
SL500ZLB-125D	1573	437	2.75	740	18.5
	1822	506	1.90		
	2050	570	1.10		
	1890	525	2.78		22
	2160	600	2.02		
	2434	676	1.16		
	2232	620	2.70		
	2462	684	2.08		
	2668	741	1.45		
SL500ZLB-160	2192.4	609.0	3.72	980	37
	2545.2	707.0	2.56		
	2804.2	779.0	1.71		
	2568.6	713.5	3.57		45
	2956.3	821.2	2.57		
	3157.6	877.1	1.79		
	2989.1	830.3	3.41		
	3194.3	887.3	3.02		
	3473.6	964.9	2.13		
1633.3	453.7	2.06			

SL500ZLB-160D	1896.1	526.7	1.42	740	18.5
	2040.1	566.7	1.06		
	1913.4	531.5	1.98		
	2202.1	611.7	1.43		
	2321.6	644.9	1.03		
	2226.6	618.5	1.89		
	2379.6	661.0	1.68		
	2587.3	718.7	1.18		
SL600ZLB-70	2987.50	829.86	7.26	740	90
	3528.00	980.00	5.62		
	4037.30	1121.47	3.24		
	3065.70	851.57	7.46		
	3672.00	1020.00	5.90		
	4310.90	1197.48	3.32		
	3138.30	871.74	7.63		110
	3816.00	1060.00	6.18		
	4528.70	1257.97	3.44		
	3222.00	895.00	7.84		
	4032.00	1120.00	6.35		
	4740.90	1316.91	3.63		
	3277.93	910.52	7.96		
	3744.04	1040.00	6.60		
	4902.80	1361.89	3.80		
	3439.80	955.49	8.18		
	4302.00	1195.00	6.95		
	5165.20	1434.79	4.11		
SL600ZLB-125	1652.7	459.10	3.85	740	37
	2102.4	584.00	2.65		
	2423.5	673.20	1.60		
	2010.2	558.40	4.45		
	2707.2	752.00	2.65		55
	3182.8	884.10	1.23		
	2546.3	707.30	4.94		
	3312.0	920.00	2.95		
	3864.2	1073.40	1.28		
	3048.8	846.90	5.07		
	3888.0	1080.00	3.10		
	4545.4	1262.60	1.49		
	3540.2	983.40	5.80		
	4435.2	1232.00	3.20		
	5047.9	1402.02	1.75		
	4277.5	1188.20	4.94		

	5040.0	1400.00	3.50		90
	5572.8	1548.00	2.26		
SL600ZLB-100G	2556	710	4.45	730	45
	2808	780	3.49		
	3132	870	2.43		
	3024	840	4.00		
	3132	870	3.54		
	3348	930	2.66		55
	3132	870	4.45		
	3420	950	3.49		
	3672	1020	2.52		
	3348	930	4.47		
	3672	1020	3.59		
	3852	1070	2.95		
	4104	1140	3.37		
	4176	1160	2.90		
	4176	1160	3.79		
4284	1190	3.41			
SL600ZLB-100D	2016	560	2.88	580	30
	2484	690	1.43		
	2182	606	3.15		
	2412	670	2.50		
	2707	752	1.54		
	2311	642	3.26		
	2585	718	2.53		
	2851	792	1.75		
	2498	694	3.36		
	2880	800	2.36		
	3161	878	1.60		
	2761	767	3.20		37
	3096	860	2.36		
	3287	913	1.60		
	2952	820	3.25		
3240	900	2.60			
3492	970	2.00			
SL600ZLB-160G	2980.8	828.0	3.08	740	37
	3463.2	962.0	2.12		
	3813.8	1059.4	1.42		
	3493.4	970.4	2.96		
	4168.8	1158.0	1.77		
	4294.8	1193.0	1.48		
	4065.1	1129.2	2.83		

	4345.2	1207.0	2.51		45
	4728.3	1312.3	1.76		
SL600ZLB-160D	2368.8	658.0	1.95	595	45
	2750.4	764.0	1.34		
	2926.8	813.0	1.05		
	2775.6	771.0	1.87		22
	3261.6	906.0	1.35		
	3355.2	932.0	1.04		
	3229.2	897.0	1.79		
	3452.4	959.0	1.58		
	3754.8	1043.0	1.12		
SL700ZLB-55	3427.2	952.0	8.50	740	132
	2704.7	751.1	10.68		
	4134.8	1148.6	4.24		
	4010.4	1032.0	8.75		
	2827.4	785.4	11.07		
	4687.8	1304.9	5.60		
	3893.0	1081.4	9.39		
	4334.4	1204.0	9.00		
	3102.8	861.9	11.70		160
	5190.8	1441.9	5.81		
	4654.3	1292.9	9.24		
	3436.3	954.5	11.32		
	5738.1	1593.9	5.85		
	4896.0	1360.0	9.51		
	3878.6	1077.4	12.05		
	5162.4	1434.0	9.75		
4748.5	1319.0	11.07	185		
SL700ZLB-85	2973.6	826	6.29	740	75
	4023.0	1120	2.82		
	3538.8	983	5.88		90
	3870.0	1075	4.77		
	4392.0	1220	3.00		
	3769.2	1047	6.13		
	4680.0	1300	3.34		
	4075.2	1132	6.34		
	4496.4	1249	5.17		110
	5072.4	1409	3.35		
	4377.6	1216	6.40		
	4827.6	1341	5.20		
	5421.6	1506	3.45		
	4712.0	1309	6.44		

	5292.0	1470	5.00			
	5799.6	1611	3.55			
SL700ZLB-70*	4032	1120	8.30	740	160	
	4518	1255	7.00			
	4842	1345	5.80			
	4205	1168	8.40			
	4734	1315	7.15			
	5105	1418	5.90			
	4392	1220	8.60			
	4896	1360	7.60		185	
	5400	1500	6.00			
	4644	1290	8.70			
	5220	1450	7.60			
	5688	1580	6.10			
	4824	1340	8.80			
	5382	1495	7.70			
	5958	1655	6.00			
	5004	1390	9.20			
	5508	1530	8.50			
6300	1750	6.20				
SL700ZLB-75	3960	1100	8.22	740	160	
	4608	1280	6.00			
	4248	1180	8.58			
	4932	1370	6.41			
	5544	1540	3.70			
	4644	1290	8.86			
	5436	1510	6.54			185
	6120	1700	3.80			
	5040	1400	9.08			
	5760	1600	7.18			
	6624	1840	3.96			
	5400	1500	9.24			
	6120	1700	7.50			
	7092	1970	4.17			
	5832	1620	9.38		220	
	7560	2100	4.41			
	6156	1710	9.43			
6876	1910	7.95				
	3060	850	10.90			
	3940	1094	8.11			
	4590	1270	5.04			
	3520	977	10.60			

SL700ZLB-70G	4500	1250	7.46	740	160
	5040	1400	5.68		
	4430	1230	8.72		
	4860	1350	7.30		
	5580	1550	4.53		
	5110	1420	8.11		
	5710	1585	6.39		
	5960	1657	5.41		
	5870	1630	7.25		
	6280	1744	5.80		
SL700ZLB-70D	2430	675	6.90	595	75
	3125	869	5.12		
	3640	1013	3.18		
	2795	776	6.70		
	3570	993	4.70		
	4000	1110	3.58		
	3520	976	5.50		
	3830	1064	4.69		
	4440	1235	2.86		
	4100	1130	5.12		
	4540	1260	4.02		
	4740	1316	3.41		
	4660	1296	4.55		
5000	1389	3.65			
SL700ZLB-100G	3769.8	1047.18	7.42	740	110
	4608.6	1280.08	4.99		
	5198.5	1444.04	2.95		132
	4037.1	1121.43	7.99		
	5161.7	1443.80	4.90		
	5705.5	1584.46	3.09		
	4405.9	1223.85	8.23		160
	5622.6	1561.82	4.94		
	6212.4	1725.68	3.03		
	5190.4	1441.78	7.42		
	6083.4	1689.83	4.99		
	6691.8	1858.82	3.15		
	5382.9	1495.25	7.97		185
	6452.1	1792.25	5.30		
	7198.7	1999.64	3.16		
	6166.4	1712.88	7.07		
6913.0	1920.27	5.29			
7585.8	2107.17	3.56			

SL700ZLB-100D	3021.0	839.18	4.76	595	55
	3693.2	1025.89	3.20		
	4166.0	1157.21	1.89		
	3235.2	898.68	5.13		75
	4172.4	1149.00	3.14		
	4345.4	1270.06	1.98		
	3368.2	935.61	5.60		90
	4505.7	1251.59	3.17		
	4978.5	1382.91	1.94		
	3981.3	1105.91	5.09		
	4875.0	1354.18	3.20		
	5362.6	1489.60	2.02		
	4173.3	1159.26	5.34		
	5170.5	1436.25	3.40		
	5768.8	1602.45	2.03		
	4195.5	1165.42	5.88		110
	5539.8	1538.84	3.40		
	6079.8	1688.62	2.29		
SL700ZLB-125G	3398	944	6.10	740	90
	4572	1270	3.61		
	5141	1428	2.12		
	4554	1265	6.20		110
	5623	1562	3.74		
	6322	1756	1.93		
	5350	1486	6.50		132
	6660	1850	4.00		
	7380	2050	2.35		
	6336	1760	6.28		160
	7445	2068	4.26		
	7992	2220	3.15		
	8352	2320	4.81		
	8402	2334	4.17		
SL700ZLB-125D	2725	757	3.92	595	45
	3668	1019	2.32		
	4104	1140	1.36		55
	3636	1010	3.98		
	4511	1253	2.40		
	2051	1430	1.24		75
	4392	1220	4.00		
	5314	1476	2.57		
	5922	1645	1.51		
	5069	1408	4.03		

	5951	1653	2.74		90
	6400	1778	2.02		
	6682	1856	3.10		
	6762	1870	3.03		
SL700ZLB-160G	4922.3	1367.23	4.30	740	80
	5714.7	1587.42	2.96		
	6295.4	1748.73	1.98		
	5766.3	1601.76	4.13		95
	6636.5	1843.46	2.97		
	7086.3	1968.92	2.07		
	6710.2	1863.94	3.95		110
	7171.2	1991.96	3.50		
7797.6	2166.07	2.46			
SL700ZLB-160D	3910.6	1086.29	2.72	595	45
	4540.5	1261.24	1.87		
	4944.7	1373.53	1.31		
	4694.3	1303.96	2.52		
	5272.8	1464.67	1.88		
	5602.4	1556.21	1.36		
	5331.4	1480.94	2.49		55
	5697.5	1582.65	2.21		
	6195.5	1720.98	1.55		
SL800ZLB-70G	6380	1773	4.43	595	185
	5710	1587	6.20		
	5100	1416	7.28		
	6810	1891	4.41		
	6000	1666	6.33		
	5065	1407	7.78		
	7170	1991	4.43		
	6365	1768	6.40		
	5390	1497	7.77		
	7535	2093	4.61		
	6620	1840	6.70		
	5540	1540	7.98		
	7790	2163	4.75		
	6830	1896	6.84		
	5645	1568	8.11		
	8210	2281	5.02		200
	7770	2158	5.99		
7131	1981	7.20			
	5940	1651	3.05		90
	5280	1466	4.40		

SL800ZLB-70D	4470	1241	5.34	495	110
	6250	1736	3.17		
	5490	1525	4.60		
	4600	1277	5.48		
	6455	1793	3.26		
	5660	1572	4.70		
	4680	1300	5.57		
	6810	1891	3.44		
	5910	1642	4.95		
	5140	1428	5.63		
SL800ZLB-100G	5710	1586	2.30	595	90
	5166	1435	3.63		
	4260	1184	5.58		110
	6220	1727	2.24		
	5350	1486	4.25		
	4590	1274	5.78		
	6700	1860	2.35		
	6090	1691	3.74		
	4970	1381	5.91		
	7120	1978	2.57		
	6460	1794	3.95		
	5390	1497	5.94		
	7510	2086	2.83		132
	6920	1922	3.94		
6000	1666	5.63			
SL800ZLB-100D	4802	1334	1.44	495	55
	4367	1213	2.36		
	3535	982	3.84		
	5216	1449	1.39		
	4666	1296	2.56		
	3802	1056	3.97		
	5612	1559	1.46		75
	5047	1402	2.57		
	4122	1145	4.06		
	5972	1659	1.62		
	5400	1500	2.62		
	4320	1200	4.26		
	6296	1749	1.83		
	5760	1600	2.71		
4781	1328	4.12			
	2797	777	3.93		45
	3744	1040	2.26		

SL800ZLB-125G	3258	905	4.70	595	75
	4572	1270	2.69		
	5033	1398	1.77		
	4687	1320	4.41		
	5641	1567	2.78		90
	6005	1668	2.08		
	5742	1595	4.31		110
	6606	1835	3.04		
	7290	2025	1.93		
	6325	1757	4.68		132
	7452	2070	3.17		
	8017	2227	2.32		
	7848	2180	4.25		
	8417	2338	3.51		
SL800ZLB-125D	2038	566	3.09	495	30
	2959	822	1.78		
	3103	862	1.55		45
	2711	753	3.23		
	4172	1159	1.22		
	3431	953	3.59		55
	4680	1300	1.91		
	4986	1358	1.43		
	4763	1323	2.96		
	5490	1525	2.09		
	6048	1680	1.33		75
	5256	1460	3.22		
	6174	1715	2.18		
	6642	1845	1.60		
	6509	1808	2.92		
6977	1938	2.41			
SL900ZLB-50	7596.6	2110.10	4.58	495	280
	6472.1	1797.80	7.82		
	8578.0	2382.77	3.83		
	5658.7	1571.87	9.77		
	9186.7	2551.87	4.37		
	7760.8	2128.00	8.06		
	5637.9	1566.09	10.31		
	10038.0	2788.40	3.91		
	7994.5	2220.69	8.30		
	10570.0	2936.20	4.42		
	8882.2	2467.29	8.34		
	7457.3	2071.48	10.19		

	11357.0	3154.84	4.02		355	
	9350.1	2597.25	8.55			
	7200.0	2000.00	11.20			
	11774.0	3270.55	4.88			
	9829.8	2730.50	8.79			
	7858.5	2182.93	11.20			
SL900ZLB-70	4500	1250	8.06	495	160	
	5800	1610	5.98			
	6770	1880	3.72			
	5190	1440	7.82			
	6620	1840	5.49			
	7410	2060	4.19			
	6510	1810	6.41		185	
	7200	2000	5.40			
	8250	2290	3.33			
	7560	2100	5.99			
	8420	2340	4.70			
	8790	2440	4.00			
	7200	2000	6.85			
	8650	2405	5.33			
9300	2580	4.27				
SL900ZLB-85	8640	2400	2.85	495	160	
	7690	2163	4.75			
	6232	1731	6.84			
	9418	2616	2.91			
	8276	2299	5.00			
	7643	2123	5.99			
	10181	2828	3.03		185	
	8856	2460	5.24			
	7787	2163	6.67			
	10879	3022	3.17			
	9425	2618	5.50			
	7909	2197	7.21			
	11549	3208	3.35			220
	10080	2800	5.58			
8929	2479	6.92				
	9395	2609.8	3.31		200	
	8328	2313.2	5.36			
	7165	1989.7	7.71			
	10463	2906.3	3.16			
	9327	2590.9	5.45			
	8496	2360.0	7.01			

SL900ZLB-100G	11393	3164.6	2.98	595	280
	9661	2683.5	6.37		
	8280	2300.0	8.66		
	11645	3234.8	4.30		
	10994	3053.8	5.61		
	9693	2692.6	7.77		
	12477	3465.8	4.57		
	11528	3202.3	5.65		
	11195	3109.7	6.70		
	13110	3641.7	4.95		
	12495	3470.8	5.92		
	12162	3378.3	6.50		
SL900ZLB-100D	7722	2145.0	2.36	495	160
	6847	1902.0	3.82		
	5602	1556.0	5.91		
	8478	2355.0	2.46		
	7668	2130.0	3.89		
	6325	1757.0	5.97		
	9079	2522.0	2.69		185
	8352	2320.0	3.98		
	6808	1897.0	5.97		
	9778	2716.0	2.77		
	9040	2511.0	4.00		
	7970	2214.0	5.54		
	10408	2891.0	3.00		
	9587	2663.0	4.23		
	7888	2191.0	6.10		
	11146	3096.0	3.02		
	10271	2853.0	4.22		
9475	2632.0	5.33			
SL900ZLB-125	4095	1137.6	4.41	495	90
	4565	1368.3	3.62		
	5504	1529.6	2.57		
	5645	1568.0	2.26		
	5616	1560.0	4.12		
	6170	1714.0	3.57		
	6998	1944.0	2.57		
	7333	2037.0	2.16		
	6974	1937.0	4.62		132
	7553	2097.0	3.98		
	8687	2413.0	2.57		
	9022	2506.0	2.12		

	8935	2483.0	4.13		152
	10030	2786.0	3.17		
	10292	2859.0	2.73		
	10652	2959.0	2.35		
	10264	2851.0	4.16		
	10570	2936.0	3.89		160
	11428	3174.5	2.99		
	12064	3351.0	4.13		
	12672	3520.0	3.55		
	13198	3666.0	3.07		185
	13808	3835.5	2.43		
SL900ZLB-160	9234.0	2565	1.57		
	8492.0	2356	2.24		
	7315.0	2032	3.25		
	10476.0	2910	1.63		
	9849.6	2736	2.25	495	110
	8568.0	2380	3.12		
	11462.0	3184	2.01		
	10656.0	2960	2.64		
	9968.4	2769	3.00		
SL900ZLB-135	9936	2706	1.11		
	7848	2180	3.31		
	5868	1630	4.35		
	10836	3010	1.13		132
	8424	2340	3.55		
	6876	1910	4.86		
	11772	3270	1.18		
	9396	2610	3.45	495	
	6912	1920	5.41		
	12780	3550	1.20		160
	10300	2860	3.50		
	8784	2440	4.74		
	13428	3730	1.53		
	11268	3130	3.50		185
	8064	2240	5.40		
	8530.0	2.4	6.20		
	7655.0	2.1	8.19		
	9042.0	2.5	6.81		
	8214.5	2.3	8.46		280
	6045.5	1.7	10.79		
	9806.0	2.7	6.76		
	8796.0	2.4	8.76		

SL1000ZLB-55	10503.0	2.9	6.83	495	355
	9524.0	2.6	8.74		
	7462.0	2.1	11.07		
	11112.0	3.1	6.96		
	10026.0	2.8	8.95		
	79367.0	2.2	11.42		
	11705.0	3.3	7.20		
	10540.0	2.9	9.24		
SL1000ZLB/Q-70	7848	2.18	8.26	495	280
	9108	2.53	6.79		
	8064	2.24	8.52		
	10584	2.94	5.00		
	8280	2.30	8.73		
	10116	2.81	7.00		
	11340	3.15	5.00		
	8820	2.45	8.73		
	10548	2.93	7.33		355
	12024	3.34	5.00		
	9288	2.58	7.73		
	10872	3.02	7.33		
	12528	3.48	5.00		
	10260	2.85	8.73		
11340	3.15	7.88			
SL1000ZLB-90	11354	3.154	3.47	495	250
	8449	2.347	7.35		
	12125	3.368	3.41		
	10883	3.023	5.38		
	8456	2.349	7.97		
	12805	3.557	3.43		280
	11520	3.200	5.50		
	8903	2.437	8.17		
	13723	3.812	3.46		
	12125	3.368	5.76		
	9850	2.736	8.07		355
	14580	4.050	3.53		
	13219	3.672	5.46		
	10397	2.883	8.17		
	9223	2.6	2.22		160
	6782	1.9	5.93		
	9896	2.7	2.38		
	8892	2.5	4.00		
	7956	2.2	5.29		

SL1000ZLB/Q-105	10645	3.0	2.50	495	185
	9548	2.7	4.00		
	7920	2.2	6.27		
	11470	3.2	2.50		
	10426	2.9	4.00		
	9191	2.6	5.57		
	11952	3.3	3.00		
	11218	3.1	4.00		
	10379	2.9	5.00		
SL1000ZLB/Q-125	4910	1.4	3.79	495	75
	6221	1.7	2.19		110
	5796	1.6	4.59		
	7200	2.0	3.17		
	8028	2.2	2.02		132
	7528	2.1	4.84		
	8964	2.5	3.18		
	9864	2.7	1.97		160
	8953	2.5	5.00		
	10754	3.0	3.32		
	11628	3.2	2.21		185
	10325	2.9	4.96		
	12888	3.6	2.52		
	12456	3.5	4.75		220
	13554	3.8	3.80		
14148	3.9	3.22			
SL1000ZLB-135	10656	2.96	1.17	495	132
	8288	2.33	3.47		
	6768	1.88	4.86		
	11592	3.22	1.18		
	9036	2.51	3.72		
	6876	1.91	5.46		160
	12600	3.50	1.24		
	10800	3.00	3.00		
	8676	2.41	4.77		185
	13428	3.72	1.56		
	11232	3.12	3.50		
	9036	2.51	5.23		
	13968	3.88	2.01		
	12276	3.41	3.50		
10080	2.80	4.87			
	14868	4.13	4.54		
	13284	3.69	7.50		

SL1200ZLB/Q-70	10980	3.05	10.17	495	400
	15840	4.40	4.63		
	13860	3.85	7.90		
	12024	3.34	9.86		450
	16668	4.63	4.78		
	15264	4.24	7.20		
	12024	3.34	10.47		
	17460	4.85	5.07		
	16128	4.48	7.20		
	14760	4.10	9.03		
	13320	3.70	10.21		500
	18072	5.02	5.30		
	16524	4.59	7.64		
	12600	3.50	10.92		
	17316	4.81	8.07		
	13284	3.69	11.29		560
SL1200ZLB/Q-85	12625	3.5	9.96	495	450
	15392	4.3	7.16		
	18304	5.1	2.69		
	12852	3.6	10.30		500
	16088	4.5	7.34		
	18925	5.3	3.27		
	13432	3.7	10.63		
	16848	4.7	7.89		
	20189	5.6	3.34		
	14491	4.0	10.40		
	18049	5.0	7.68		550
	21240	5.9	3.39		
	15079	4.2	10.62		
	18683	5.2	7.99		
21866	6.1	3.99			
SL1200ZLB-100G	9459	2.6	7.61	495	280
	11261	3.1	5.11		
	12747	3.5	3.11		
	10495	2.9	8.02		315
	12612	3.5	5.20		
	14414	4.0	2.56		355
	11170	3.1	8.26		
	13513	3.8	5.33		
	15315	4.3	2.97		
	12251	3.4	8.32		
	14864	4.1	5.34		

	16441	4.6	3.17		
	13062	3.6	8.47		
	15766	4.379.5	5.62		
	17567	4.9	3.31		400
	14504	4.0	8.14		
	16891	4.7	5.65		
	18468	5.1	3.81		
SL1200ZLB-100D	7142	2.0	4.34	370	132
	8503	2.4	2.92		
	9625	2.7	1.77		
	7925	2.2	4.57		
	9523	2.6	2.97		
	10884	3.0	1.46		160
	8435	2.3	4.71		
	10235	2.8	3.04		
	11564	3.2	1.69		
	9251	2.6	4.75		
	11224	3.1	3.05		
	12414	3.4	1.81		
	9863	2.7	4.30		
	11904	3.3	3.20		185
	13264	3.7	1.89		
	10952	3.0	4.64		
12754	3.5	3.22			
13945	3.9	2.17			
SL1200ZLB-125	10044	2.79	4.95	495	185
	11196	3.11	3.84		
	12168	3.38	2.67		
	11880	3.30	5.90		
	13860	3.85	3.98		250
	14976	4.16	2.60		
	15012	4.17	5.33		
	16308	4.53	4.20		280
	17676	4.91	2.92		
	17028	4.73	5.50		
	18108	5.03	4.54		355
	19872	5.52	3.08		
	19656	5.46	5.71		
	20592	5.72	5.02		400
21852	6.07	3.92			
	14760	4.10	1.45		
	11664	3.24	4.31		

SL1200ZLB-135	8784	2.43	6.46	495	250
	10836	4.47	1.47		
	8424	3.95	3.17		
	6876	2.64	6.79		280
	17496	4.86	1.54		
	15336	4.26	3.43		
	11016	3.06	6.57		
	18972	5.27	1.57		
	16884	4.69	3.39		
	13896	3.86	5.59		355
	19692	5.47	2.22		
	18288	5.08	3.44		
	12924	3.59	6.71		
SL1200ZLB/Q-85*	15791	4.39	4.31	495	400
	13418	3.73	7.55		
	11884	3.30	9.13		
	16860	4.47	4.24		
	15133	4.20	6.69		
	12871	3.58	9.07		
	17806	4.95	4.26		450
	15421	4.28	7.37		
	12931	3.59	9.37		
	19081	5.30	4.30		
	14928	4.15	9.01		
	20274	5.63	4.39		
	18382	5.11	6.79		
14928	4.15	9.81	500		
SL1300ZLB/Q-70	20220	5.62		3.81	370
	17050	4.74	7.00		
	14890	4.14	8.39		
	18095	5.03	7.10	550	
	14765	4.10	8.85		
	22260	6.18	4.18		
	18830	5.23	7.43		
	15760	4.38	8.85		
	23050	6.40	4.36		
	19405	5.39	7.59		
	17335	4.82	8.57		
	24255	6.74	4.72		
	20270	5.63	7.98		
16940	4.71	9.30	560		
10620	2.95	5.84			

SL1300ZLB/Q-100	12312	3.42	4.50	370	280
	13896	3.86	3.05		
	11880	3.30	6.00		
	14976	4.16	3.25		
	16992	4.72	1.30		
	12888	3.58	6.15		
	14940	4.15	4.50		
	16524	4.59	3.10		
	18360	5.10	1.30		
	14616	4.06	5.84		
	16200	4.50	4.50		
	18360	5.10	2.77		
	19872	5.52	1.30		
	16200	4.50	5.45		
	12240	3.40	3.00		
	21420	5.95	1.30		
	18540	5.15	4.70		
	18792	5.22	4.50		
	22860	6.35	1.30		
SL1300ZLB-125D	14400	4.00	1.0	298	132
	13608	3.78	1.2		
	12744	3.54	1.5		
	11880	3.30	2.0		
	10908	3.03	2.53		
	17208	4.78	1.0		
	16344	4.54	1.5		
	15298	4.25	2.0		
	14292	3.97	2.5		
	12888	3.58	2.8		
SL1300ZLB-125G	17784	4.94	1.5	370	280
	17208	4.76	2.0		
	16740	4.65	2.5		
	15782	4.38	3.0		
	15012	4.17	3.5		
	14328	3.98	4.0		
	21240	5.90	1.5		
	20592	5.72	2.0		
	19836	5.51	2.5		
	19008	5.28	3.0		
	18108	5.03	3.5		
	17244	4.79	4.0		
	23328	6.48	2.0		

	22464	6.24	2.5		
	21564	5.99	3.0		
	20700	5.75	3.5		
	19836	5.51	4.0		
SL1300ZLB/Q-90	19870	5.52	3.45	370	400
	16884	4.69	6.05		
	14954	4.15	7.32		
	21215	5.89	3.41		
	19042	5.29	5.38		
	16196	4.50	7.97		
	22405	6.22	3.42		
	19942	5.54	5.50		
	16248	4.51	7.80		
	24010	6.67	3.44		
	21215	5.89	5.74		
	17852	4.96	7.71		
	25510	7.09	3.52		
	23130	6.42	5.44		
18783	5.22	7.86			
SL1400ZLB/Q-75	21528	5.98	4.07	370	560
	15912	4.42	9.12		
	22968	6.38	4.15		
	19368	5.38	7.64		
	24156	6.71	4.28		
	20556	5.71	7.73		
	17388	4.83	9.38		
	25308	7.03	4.55		
	22644	6.29	7.19		
	21888	6.08	7.70		
	17208	4.78	9.84		
	22032	6.12	8.38		
	17568	4.88	9.99		
	27576	7.66	5.14		
23040	6.40	8.69			
SL1400ZLB/Q-75*	12600	3.50	7.20	370	450
	14652	4.07	5.25		
	13572	3.77	7.51		
	17712	4.92	3.24		
	14796	4.11	7.75		
	19548	5.43	3.33		
	16056	4.46	7.95		
	18324	5.09	6.29		

	21096	5.86	3.46		560	
	17208	4.78	8.09			
	19476	5.41	6.57			
	18540	5.15	8.21			
	24084	6.69	3.86		630	
	19692	5.47	8.25			
	25452	7.07	4.11			
SL1400ZLB/Q-85	25862	7.18	4.19	370	630	
	21976	6.10	7.34			
	19464	5.41	8.88			
	27613	7.67	4.12			
	24784	6.88	6.50			
	21080	5.86	8.83			
	29162	8.10	4.15			710
	25256	7.02	7.16			
	21148	5.87	9.46			
	31250	8.68	4.18			
	27613	7.67	6.97			
	22427	6.23	9.75			800
	33209	9.22	4.27			
	30105	8.36	6.61			
24448	6.79	9.54				
SL1400ZLB-115	23868	6.63	1.37	370	355	
	15876	4.41	5.45			
	25992	7.22	1.39			
	23004	6.39	3.00			400
	15372	4.27	6.43			
	28260	7.85	1.45			
	22608	6.28	4.25			
	19440	5.40	5.62			
	30636	8.51	1.49			450
	27288	7.85	3.21			
	22932	6.37	5.09			
	30924	8.59	2.58			
24552	6.82	5.36				
	8582	2.38	4.58		280	
	11542	3.21	2.84			
	10440	2.90	5.29			
	16527	4.59	1.47			
	14151	3.93	5.40			
	16354	4.54	4.06			
	20066	5.57	1.52			

SL1400ZLB/Q-125	17398	4.83	5.25	370	355
	21024	5.84	3.51		
	23605	6.56	1.77		450
	18385	5.11	6.04		
	22154	6.15	4.30		
	26215	7.28	2.08		
	24357	6.77	5.02		
	28940	8.04	2.69		
SL1400ZLB/Q-130	16560	4.60	2.60	370	280
	12636	3.51	6.04		
	18180	5.05	2.71		
	16776	4.66	4.04		355
	19800	5.50	2.64		
	17064	4.74	5.00		
	15300	4.25	6.34		
	21600	6.00	2.50		
	20520	5.70	3.40		
	18144	5.04	5.30		400
	17712	4.92	5.71		
	22968	6.38	2.77		
	21384	5.94	4.07		
	17784	4.94	6.56		
	24192	6.72	3.31		
20340	5.65	5.85	370	220	
14436	4.01	2.31			
12600	3.50	3.50			
9828	2.73	5.11		280	
18612	5.17	1.87			
11952	3.32	5.90		355	
22716	6.31	1.89			
20052	5.57	3.75			
17532	4.87	5.90		400	
26712	7.42	1.89			
23546	6.54	3.75			
20808	5.78	5.26			
29304	8.41	2.15			
24048	6.68	5.43			
31680	8.80	3.79		450	
29556	8.21	4.86			
14040	3.90	8.9			
	22860	6.35	6.0	500	
	27360	7.60	3.0		

SL1600ZLB/Q-85	17460	4.85	9.0	298	800
	26640	7.40	6.0		
	31680	8.80	3.0		
	18360	5.10	9.5		
	30420	8.45	6.0		
	36000	10.00	3.0		
	22500	6.25	9.5		
	33660	9.35	6.0		
	39060	10.85	3.0		
	33480	9.30	7.5		
	36720	10.20	6.0		
	41760	11.60	3.5		
	39168	10.88	6.5		
	44280	12.30	4.0		
SL1600ZLB-80	23567	6.5	7.85	298	630
	28732	8.0	5.64		
	34167	9.5	2.12		
	23991	6.7	8.14		800
	29831	8.3	5.78		
	35327	9.8	2.58		
	25075	7.0	8.14		
	31451	8.7	6.22		
	37688	10.5	2.63		
	27051	7.5	8.20		
	33692	9.4	6.05		900
	39646	11.0	2.67		
	28148	7.8	8.37		
	34873	9.7	6.30		
23567	11.3	3.15			
SL1600ZLB/Q-100	28080	7.80	3.0	298	630
	24660	6.85	5.0		
	21780	6.05	6.5		
	31140	8.65	3.0		
	27720	7.70	5.0		
	23580	6.55	7.0		
	33840	9.40	3.0		
	29860	8.35	5.0		
	25920	7.20	7.0		
	36540	10.15	3.0		
	32760	9.10	5.0		
	28440	7.90	7.0		
	39420	10.95	3.0		

	35280	9.80	5.0		710
	30960	8.60	7.0		
	42120	11.70	3.0		
	37980	10.55	5.0		
	34200	9.50	6.5		
SL1600ZLB-125	34272	9.52	1.9	248	630
	31932	8.87	2.9		
	24588	6.83	4.9		
	37188	10.33	2.0		
	33336	9.26	3.3		
	26748	7.43	5.2		
	40212	11.17	2.0		
	36072	10.02	3.3		
	28620	7.95	5.2		
	42840	11.90	2.1		
	39600	11.00	3.3		
	31644	8.79	5.2		
	45000	12.50	2.1		
	39600	11.00	4.2		
	36468	10.13	4.9		
	46008	12.78	2.8		
42298	11.75	4.2			
SL1800ZLB-70	34689.6	9.64	8.29	248	1248
	41533.2	11.54	6.62		
	46976.4	13.05	4.16		
	39679.2	11.02	8.06		
	44143.2	12.26	6.81		
	48319.2	13.42	5.16		
	38883.6	10.80	8.77		1400
	46033.2	12.79	7.08		
	50043.6	13.90	5.67		
	41432.4	11.51	8.99		
	49381.2	13.72	7.07		
	53866.8	14.96	5.47		
	45702	12.70	9.06		
	50864.4	14.13	7.77		
	57038.4	15.84	5.72		
	37018.8	10.28	7.16		1000
	43592.4	12.11	5.18		
	47066.4	13.07	3.68		
	38041.2	10.57	7.46		
	44751.6	12.43	5.59		

SL1800ZLB/Q-85	48700.8	13.53	4.06	248	1248
	39477.6	10.97	7.8		
	46897.2	13.03	5.98		
	51699.6	14.36	4.2		
	42642	11.85	7.89		
	49438.8	13.73	6.26		
	53737.2	14.93	4.76		
	44114.4	12.25	7.99		
	51102	14.20	6.37		
	57225.6	15.90	4.25		
SL1800ZLB/Q-100	36309.6	10.09	5.69	248	800
	41648.4	11.57	4.45		
	46519.2	12.92	2.9		
	36226.8	10.06	6.4		
	43502.4	12.08	4.76		
	48430.8	13.45	3.4		
	38242.8	10.62	6.53		1000
	46472.4	12.91	4.86		
	50223.6	13.95	3.83		
	42148.8	11.71	6.31		
	47718	13.26	5.26		
	53028	14.73	3.88		
	47736	13.26	5.9		
	51274.8	14.24	5.25		
	56224.8	15.62	3.96		
	47145.6	13.10	6.75		
54730.8	15.20	5.28	1248		
59457.6	16.52	4.11			
SL1800ZLB/Q-130	30459.6	8.46	4.76	248	800
	34747.2	9.65	3.61		
	38858.4	10.79	2.37		
	35377.2	9.83	4.55		
	40186.8	11.16	3.32		
	43678.8	12.13	2.23		
	39344.4	10.93	4.81		
	45626.4	12.67	3.32		
	49770	13.83	2.12		
	41410.8	11.50	5.06		
	48538.8	13.48	3.42		
	51512.4	14.31	2.58		
	42487.2	11.80	5.48		
	48938.4	13.59	4.23		

	53449.2	14.85	3.11		
SL2000ZLB/Q-70	51418.8	14.28	7.88	214	1600
	57150	15.88	6.66		
	62564.4	17.38	5		
	54597.6	15.17	8.11		
	60742.8	16.87	6.85		
	66488.4	18.47	5.19		
	53503.2	14.86	8.82		2000
	62301.6	17.31	7.39		
	71326.8	19.81	4.92		
	61095.6	16.97	8.52		
	65520	18.20	7.66		
	75517.2	20.98	5.11		
	62884.8	17.47	9.11		
	69991.2	19.44	7.81		
	78487.2	21.80	5.76		
SL2000ZLB/Q-85	50940	14.15	7.2	214	1250
	57931.2	16.09	5.74		
	63439.2	17.62	4.07		
	52347.6	14.54	7.5		
	60552	16.82	5.88		
	65883.6	18.30	4.47		
	58147.2	16.15	7.27		1600
	63414	17.62	6.32		
	69847.2	19.40	4.64		
	58676.4	16.30	7.94		
	68029.2	18.90	6.29		
	75236.4	20.90	4.37		
	60699.6	16.86	8.04		
	68511.6	19.03	6.76		
75322.8	20.92	5.12			
SL2000ZLB/Q-100	49960.8	13.88	5.72	214	1250
	56311.2	15.64	4.68		
	61315.2	17.03	3.64		
	53722.8	14.92	5.8		
	60573.6	16.83	4.68		
	65149.2	18.10	3.75		
	56656.8	15.74	5.94		
	63946.8	17.76	4.89		
	70938	19.71	3.49		
	60296.4	16.75	6.06		
	65660.4	18.24	5.29		

	72964.8	20.27	3.9			
	61459.2	17.07	6.52			
	70556.4	19.60	5.28			
	75304.8	20.92	4.38			
	69138	19.21	6.25		1600	
	73861.2	20.52	5.58			
	81813.6	22.73	4.13			
SL2000ZLB/Q-130	41914.8	11.64	4.79	214	800	
	47815.2	13.28	3.63			
	53470.8	14.85	2.38			
	47617.2	13.23	4.78			
	55296	15.36	3.33			1000
	57135.6	15.87	2.9			
	54140.4	15.04	4.84			
	62780.4	17.44	3.34			
	64479.6	17.91	3			
	56980.8	15.83	5.09			
	65156.4	18.10	3.74			1250
	68749.2	19.10	3.02			
	62388	17.33	5			
	67341.6	18.71	4.25			
73544.4	20.43	3.13				
SL2200ZLB/Q-70	55533.6	15.43	6.93	187	1600	
	61725.6	17.15	5.86			
	65912.4	18.31	4.84			
	58968	16.38	7.13			
	66920.4	18.59	5.73			
	71809.2	19.95	4.57			
	61772.4	17.16	7.37			
	67287.6	18.69	6.5			
	75654	21.02	4.67			2000
	65984.4	18.33	7.49			
	70761.6	19.66	6.73			
	80053.2	22.24	4.84			
	70866	19.69	7.63			
	77446.8	21.51	6.51			
82998	23.06	5.45				
	58176	16.16	5.84		1250	
	64785.6	18.00	4.58			
	68518.8	19.03	3.58			
	59342.4	16.48	6.19			
	65397.6	18.17	5.17			

SL2200ZLB/Q-85	71154	19.77	3.93	187	1600
	62798.4	17.44	6.4		
	68486.4	19.02	5.56		
	75438	20.96	4.08		
	63370.8	17.60	6.98		
	73476	20.41	5.54		
	79858.8	22.18	4.21		
	65559.6	18.21	7.07		
	73994.4	20.55	5.95		
	83127.6	23.09	4.17		
SL2200ZLB/Q-100	53960.4	14.99	5.03	187	1250
	60818.4	16.89	4.11		
	67680	18.80	2.89		
	58021.2	16.12	5.1		
	65422.8	18.17	4.12		
	71974.8	19.99	3.01		
	61192.8	17.00	5.22		
	69066	19.19	4.3		
	74635.2	20.73	3.39		1600
	65120.4	18.09	5.33		
	70912.8	19.70	4.66		
	78804	21.89	3.43		
	68641.2	19.07	5.49		
	76201.2	21.17	4.64		
	85906.8	23.86	3.14		
	74667.6	20.74	5.5		
SL2200ZLB/Q-130	82069.2	22.80	4.57	187	800
	88362	24.55	3.63		
	45266.4	12.57	4.21		
	51642	14.35	3.19		
	57747.6	16.04	2.09		
	51429.6	14.29	4.21		
	59720.4	16.59	2.93		1000
	63212.4	17.56	2.29		
	56653.2	15.74	4.56		
	64069.2	17.80	3.48		
	69642	19.35	2.64		
	61542	17.10	4.48		
	70372.8	19.55	3.29		
	76550.4	21.26	2.28		
65599.2	18.22	4.61	1250		
72730.8	20.20	3.74			

	79430.4	22.06	2.75		
SL2500ZLB/Q-70	65365.2	18.16	5.76	148	1600
	72655.2	20.18	4.87		
	77580	21.55	4.02		
	69408	19.28	5.92		
	77220	21.45	5.01		
	84524.4	23.48	3.79		
	72709.2	20.20	6.13		
	79200	22.00	5.4		
	89049.6	24.74	3.88		2000
	77666.4	21.57	6.23		
	83293.2	23.14	5.59		
	94230	26.18	4.02		
	79945.2	22.21	6.66		
	88977.6	24.72	5.71		
	97696.8	27.14	4.53		
SL2500ZLB/Q-85	68475.6	19.02	4.85	148	1600
	73645.2	20.46	4.19		
	79376.4	22.05	3.26		
	69847.2	19.40	5.15		
	76975.2	21.38	4.3		
	83754	23.27	3.27		
	73918.8	20.53	5.31		
	80614.8	22.39	4.62		
	88794	24.67	3.39		
	79833.6	22.18	5.36		
	86486.4	24.02	4.6		
	93999.6	26.11	3.5		
	80935.2	22.48	5.56		
	87094.8	24.19	4.94		
	95756.4	26.60	3.74		
SL2500ZLB/Q-100	63514.8	17.64	4.18	148	1000
	71589.6	19.89	3.42		
	79664.4	22.13	2.4		
	68295.6	18.97	4.23		
	77007.6	21.39	3.42		
	82821.6	23.01	2.74		
	72025.2	20.01	4.34		1250
	81295.2	22.58	3.57		
	90180	25.05	2.55		
	76651.2	21.29	4.43		
	86562	24.05	3.57		

	92757.6	25.77	2.85			
	83502	23.20	4.33			
	89694	24.92	3.85			
	98348.4	27.32	2.91		1600	
	87890.4	24.41	4.57			
	95738.4	26.59	3.88			
	104007.6	28.89	3.02			
SL2500ZLB/Q-130	53283.6	14.80	3.5	148	630	
	60786	16.89	2.65			
	67975.2	18.88	1.74			
	60534	16.82	3.49			
	70293.6	19.53	2.44			
	72633.6	20.18	2.12			
	66686.4	18.52	3.79			800
	79812	22.17	2.44			
	84524.4	23.48	1.88			
	74311.2	20.64	3.56			
	82832.4	23.01	2.74			1000
	87400.8	24.28	2.21			
	79311.6	22.03	3.65			
	85608	23.78	3.11			
93495.6	25.97	2.29				
SL2800ZLB/Q-70	91836	25.51	7.23	148	2500	
	102074.4	28.35	6.1			
	108997.2	30.28	5.04			
	97513.2	27.09	7.43			
	108486	30.14	6.28			
	116640	32.40	5.14			
	102150	28.38	7.68			
	111272.4	30.91	6.77			2800
	122983.2	34.16	5.22			
	109116	30.31	7.81			
	117021.6	32.51	7.02			
	129654	36.02	5.42			
	112316.4	31.20	8.35			
	125006.4	34.72	7.16			
137253.6	38.13	5.68				
	90982.8	25.27	6.6			
	103467.6	28.74	5.26			
	111520.8	30.98	4.08			
	98132.4	27.26	6.46			
	108147.6	30.04	5.39			

SL2800ZLB/Q-85	117669.6	32.69	4.1	148	2500
	103852.8	28.85	6.67		
	113256	31.46	5.8		
	124750.8	34.65	4.26		
	112158	31.16	6.72		
	121503.6	33.75	5.77		
	129250.8	35.90	4.75		
	113706	31.59	6.97		
	122364	33.99	6.2		
	134528.4	37.37	4.69		
SL2800ZLB/Q-100	89233.2	24.79	5.24	148	2000
	100576.8	27.94	4.29		
	111924	31.09	3.01		
	95950.8	26.65	5.31		
	108190.8	30.05	4.29		
	116359.2	32.32	3.44		
	101192.4	28.11	5.44		
	114210	31.73	4.48		
	126698.4	35.19	3.2		2500
	107690.4	29.91	5.55		
	117270	32.58	4.85		
	130320	36.20	3.58		
	117313.2	32.59	5.44		
	126014.4	35.00	4.84		
	138175.2	38.38	3.65		
	123480	34.30	5.73		
SL2800ZLB/Q-130	131918.4	36.64	5.12	148	1250
	142344	39.54	4.11		
	79696.8	22.14	3.91		
	85399.2	23.72	3.33		
	95500.8	26.53	2.18		
	85046.4	23.62	4.38		1600
	98758.8	27.43	3.06		
	102045.6	28.35	2.66		
	93686.4	26.02	4.75		
	105951.6	29.43	3.63		
	115164	31.99	2.75		
	104403.6	29.00	4.46		
	116373.6	32.33	3.43		
122792.4	34.11	2.77	2000		
108482.4	30.13	4.81			
120276	33.41	3.9			

	131353.2	36.49	2.87		
SL3000ZLB/Q-70	94125.6	26.15	5.76	123	2000
	104623.2	29.06	4.87		
	111718.8	31.03	4.02		
	99946.8	27.76	5.92		
	111196.8	30.89	5.01		
	119548.8	33.21	4.09		
	104698.8	29.08	6.13		2500
	114051.6	31.68	5.4		
	126054	35.02	4.16		
	111841.2	31.07	6.23		
	119941.2	33.32	5.59		
	131007.6	36.39	4.55		
	115120.8	31.98	6.66		
	132634.8	36.84	5.29		
	140680.8	39.08	4.53		
	SL3000ZLB/Q-85	93250.8	25.90		
106052.4		29.46	4.19		
116136		32.26	2.97		
100580.4		27.94	5.15		
110847.6		30.79	4.3		
120607.2		33.50	3.27		
106444.8		29.57	5.31		
116085.6		32.25	4.62	2500	
127864.8		35.52	3.39		
114958.8		31.93	5.36		
124538.4		34.59	4.6		
132476.4		36.80	3.78		
116546.4		32.37	5.56		
125416.8		34.84	4.94		
137887.2		38.30	3.74		
SL3000ZLB/Q-100	91461.6	25.41	4.18	123	1600
	103086	28.64	3.42		
	112244.4	31.18	2.66		
	104216.4	28.95	3.88		
	110890.8	30.80	3.42		
	116683.2	32.41	2.96		
	109123.2	30.31	4.08		
	117061.2	32.52	3.57		
	123832.8	34.40	3.04		
	113479.2	31.52	4.25		
	120196.8	33.39	3.87		

	130474.8	36.24	3.08		
	122608.8	34.06	4.23		
	129160.8	35.88	3.85		2000
	137854.8	38.29	3.2		
	126561.6	35.16	4.57		
	135212.4	37.56	4.08		
	145897.2	40.53	3.28		
SL3000ZLB/Q-130	81687.6	22.69	3.12	123	1000
	87530.4	24.31	2.65		
	97884	27.19	1.74		
	87170.4	24.21	3.49		
	101224.8	28.12	2.44		
	107143.2	29.76	1.9		
	96026.4	26.67	3.79		1230
	114930	31.93	2.44		
	121716	33.81	1.88		
	107010	29.73	3.56		
	119278.8	33.13	2.74		
	125856	34.96	2.21		
	111189.6	30.89	3.83		
	123278.4	34.24	3.11		
134632.8	37.40	2.29			
SL700ZLB-70*G	4032	1120	8.30	740	160
	4518	1255	7.00		
	4842	1345	5.80		
	4205	1168	8.40		
	4734	1315	7.15		
	5105	1418	5.90		
	4392	1220	8.60		
	4896	1360	7.60		
	5400	1500	6.00		
	4644	1290	8.70		
	5220	1450	7.60		
	5688	1580	6.10		
	4824	1340	8.80		185
	5382	1495	7.70		
	5958	1655	6.00		
	5004	1390	9.20		
	5508	1530	8.50		
	6300	1750	6.20		
	3242	901	5.37		
	3633	1009	4.53		

SL700ZLB-70*D	3893	1081	3.75	595	90
	3381	939	5.43		
	3806	1057	4.62		
	4105	1140	3.81		
	3531	981	5.56		
	3937	1094	4.91		
	4342	1206	3.88		110
	3734	1037	5.62		
	4197	1166	4.91		
	4573	1270	3.94		
	3879	1077	5.69		
	4327	1202	4.98		
	4791	1331	3.88		
	4023	1118	5.95		
	4429	1230	5.50		
	5066	1407	4.01		
SL700ZLB-85G	2973.6	826	6.29	740	75
	4023.0	1120	2.82		
	3538.8	983	5.88		
	3870.0	1075	4.77		90
	4392.0	1220	3.00		
	3769.2	1047	6.13		
	4680.0	1300	3.34		
	4075.2	1132	6.34		
	4496.4	1249	5.17		
	5072.4	1409	3.35		110
	4377.6	1216	6.40		
	4827.6	1341	5.20		
	5421.6	1506	3.45		
	4712.0	1309	6.44		
	5292.0	1470	5.00		
	5799.6	1611	3.55		
SL700ZLB-85D	2390.9	664	4.07	595	55
	3234.7	899	1.82		
	2845.4	790	3.80		
	3111.7	864	3.08		
	3534.4	982	1.94		
	3030.5	842	3.96		
	3763.0	1045	2.16		
	3276.7	910	4.10		
	3615.3	1004	3.34		
	4078.5	1133	2.17		

3519.8	978	4.14	75
3881.7	1078	3.36	
4359.3	1211	1.94	
3788.7	1052	4.16	
4255.1	1182	3.23	
4663.2	1295	2.30	