

модель	поток вопрос м3/ч	Поднимат ь ЧАС м	Скорость н об/мин	Мощность двигателя ш
SPI 50-36-7.5/2	26	40	2900	7.5
	36	36		
	44	28		
SPI 50-32-7.5/2	22	36	2900	7.5
	32	32		
	38	26		
SPI 50-28-5.5/2	20	31	2900	5.5
	30	28		
	36	25		
SPI 50-76-30/2	35	85	2900	30
	60	76		
	75	70		
SPI 50-70-22/2	35	77	2900	22
	55	70		
	70	65		
SPI 50-64-18.5/2	35	67	2900	18.5
	50	64		
	60	60		
SPI 50-48-15/2	30	51	2900	15
	42	48		
	50	42		
SPI 50-40-11/2	25	42	2900	11
	35	40		
	40	36		
SPI 65-38-11/2	35	41	2900	11
	52	38		
	60	36		
SPI 65-32-7.5/2	28	33.4	2900	7.5
	40	32		
	50	30		
SPI 65-80-37/2	60	83	2900	37
	90	80		
	110	75		
SPI 65-60-22/2	50	61.2	2900	22
	70	60		
	85	57		
	45	54		

SPI 65-52-18.5/2	65	52	2900	18.5
	80	50		
SPI 65-42-15/2	40	42.5	2900	15
	55	42		
	65	40		
SPI 80-36-18.5/2	80	36	2900	18.5
	100	32		
	130	24		
SPI 80-30-15/2	60	32	2900	15
	90	24		
	110	20		
SPI 80-116-90/2	125	128	2900	90
	180	116		
	200	105		
SPI 80-92-75/2	100	100	2900	75
	150	92		
	180	85		
SPI 80-74-55/2	80	78	2900	55
	110	74		
	140	70		
SPI 100-33-22/2	120	38	2900	22
	170	33		
	190	31		
SPI 100-30-18.5/2	100	33	2900	18.5
	140	30		
	165	27		
SPI 100-62-45/2	120	66	2900	45
	170	62		
	200	50		
SPI 100-48-37/2	110	52	2900	37
	150	48		
	180	40		
SPI 50-80S-11/2	8.8	82	2900	11
	12.5	80		
	15	77		
SPI 50-70S-7.5/2	8	71	2900	7.5
	11.5	70		
	14	68		
SPI 50-60S-5.5/2	7.5	63	2900	5.5
	10	60		
	12	54		
	8	53		

SPI 50-50S-4/2	12.5	50	2900	4
	14	45		
SPI 50-44S-3/2	7.7	46	2900	3
	11	44		
	12	40		
SPI 50-35S-3/2	7	36	2900	3
	10	35		
	12.5	33		
SPI 50-31S-2.2/2	8	34	2900	2.2
	12.5	31		
	14	28		
SPI 50-27S-1.5/2	7	28	2900	1.5
	10	27		
	11	24		
SPI 50-22S-1.5/2	7	23	2900	1.5
	10	22		
	12	20		
SPI 65-125S-30/2	18	129	2900	30
	25	125		
	30	118		
SPI 65-110S-22/2	15	117	2900	22
	23	110		
	28	108		
SPI 65-100S-18.5/2	15	105	2900	18.5
	21	100		
	26	94		
SPI 65-85S-15/2	14	88	2900	15
	20	85		
	24	78		
SPI 65-80S-15/2	18	82	2900	15
	25	80		
	30	76		
SPI 65-80S-15/2	18	82	2900	15
	25	80		
	30	76		
SPI 65-70S-11/2	16	71.4	2900	11
	23	70		
	28	67		
SPI 65-60S-7.5/2	15	61	2900	7.5
	21.5	60		
	26	57		
	70	54		

SPI 100-50S-22/2	100	50	2900	22
	120	42		
SPI 100-44S-18.5/2	65	47	2900	18.5
	90	44		
	110	37		
SPI 125-20S-15/2	95	22.6	2900	15
	160	20		
	190	17		
SPI 125-16S-11/2	85	18	2900	11
	140	16		
	170	13.5		
SPI 125-50S-37/2	95	55	2900	37
	160	50		
	190	46		
SPI 125-44S-30/2	80	48	2900	30
	150	44		
	180	40		
SPI 125-37S-22/2	80	41	2900	22
	140	37		
	165	34		
SPI 125-32S-22/2	95	36	2900	22
	160	32		
	190	28		
SPI 125-28S-18.5/2	90	32	2900	18.5
	150	28		
	180	24		
SPI 125-24S-15/2	80	28	2900	15
	135	24		
	165	21		

型号Type	流量 Capacity Q m <sup>3</sup> /h	扬程 Head H m	转速 Speed n r/min	电机功率 Power Kw
SPI 50-9-1.1/4	13	10	1450	1.1
	18	9		
	20	8.4		
SPI 50-8-0.75/4	11	9	1450	0.75
	16	8		
	19	7.4		
SPI 50-7-0.55/4	10	8	1450	0.55
	16	7		
	18	6		
SPI 50-19-3/4	18	21	1450	3
	30	19		
	38	16		
SPI 50-16-2.2/4	16	17.6	1450	2.2
	26	16		
	32	14		
SPI 50-12-1.5/4	15	13.6	1450	1.5
	22	12		
	28	11		
SPI 50-10-1.1/4	14	11	1450	1.5
	20	10		
	26	9		
SPI 65-9-1.1/4	17	10.4	1450	1.1
	26	9.5		
	30	8.6		
SPI 65-8-0.75/4	14	8.4	1450	0.75
	20	8		
	24	7.5		
SPI 65-20-5.5/4	30	20.5	1450	5.5
	45	20		
	54	18.5		
SPI 65-15-3/4	28	16	1450	3
	35	15		
	48	14		
SPI 65-13-2.2/4	20	13.5	1450	2.2
	30	13		
	35	12		
	15	10.2		

SPI 65-10-1.5/4	25	10	1450	1.5
	30	9		
SPI 80-9-2.2/4	35	9	1450	2.2
	50	8		
	65	6		
SPI 80-7-1.5/4	30	8	1450	1.5
	45	6		
	55	5		
SPI 80-29-11/4	55	32.5	1450	11
	90	29		
	110	27		
SPI 80-23-7.5/4	50	25	1450	7.5
	70	23		
	85	22		
SPI 80-18-5.5/4	40	20	1450	5.5
	60	18		
	80	17		
SPI 100-8-3/4	55	9.6	1450	3
	85	8.5		
	95	6		
SPI 100-7.5-2.2/4	50	7.2	1450	2.2
	70	7.5		
	85	6.5		
SPI 100-15-5.5/4	60	17	1450	5.5
	90	15.5		
	105	13		
SPI 100-12-4/4	55	13.6	1450	4
	80	12		
	95	11		
SPI 125-12-7.5/4	110	13	1450	7.5
	160	12		
	185	10.5		
SPI 125-10-5.5/4	85	11	1450	5.5
	130	10		
	160	9		
SPI 125-8-4/4	85	9	1450	4
	120	8		
	140	7		
SPI 125-22-15/4	95	23	1450	15
	135	22		
	160	19		
	70	20		

SPI 125-19-11/4	110	19	1450	11
	140	17		
SPI 125-34-30/4	120	40	1450	30
	200	35		
	250	30		
SPI 125-30-22/4	115	33	1450	22
	170	30		
	220	27		
SPI 125-28-18.5/4	105	30	1450	18.5
	150	28		
	180	26		
SPI 150-22-30/4	220	24	1450	30
	320	22		
	380	19		
SPI 150-20-22/4	200	22	1450	22
	300	20		
	350	19		
SPI 150-18-18.5/4	180	20	1450	18.5
	270	18		
	320	16		
SPI 150-17-15/4	175	17.5	1450	15
	250	16		
	280	15		
SPI 150-13-11/4	160	14	1450	11
	230	13		
	260	12		
SPI 150-33-37/4	180	37	1450	37
	300	33		
	360	30		
SPI 150-29-30/4	170	33	1450	30
	280	29		
	330	27		
SPI 150-24-22/4	170	27	1450	22
	240	24		
	290	22		
SPI 200-18-30/4	260	22	1450	30
	430	18.5		
	510	15		
SPI 200-16-22/4	240	18	1450	22
	360	16		
	420	13.5		
	210	16.6		

SPI 200-15-18.5/4	330	15	1450	18.5
	400	12		
SPI 200-13-15/4	180	14	1450	15
	300	13		
	360	11		
SPI 200-11-11/4	160	12	1450	11
	250	11		
	300	10		
SPI 200-32-45/4	260	35	1450	45
	400	32		
	480	25		
SPI 200-27-37/4	240	31	1450	37
	350	27		
	450	22		
SPI 200-25-37/4	210	28	1450	37
	320	25		
	400	22		
SPI 250-47-110/4	400	54.6	1450	110
	650	49		
	760	45		
SPI 250-43-110/4	390	48	1450	110
	630	43		
	750	40		
SPI 250-40-90/4	380	44	1450	90
	570	40		
	650	37		
SPI 250-37-75/4	320	40	1450	75
	490	37		
	580	35		
SPI 250-31-75/4	300	33	1450	75
	450	31		
	540	29		
SPI 250-57-160/4	450	64	1450	160
	700	58		
	820	53		
SPI 250-53-132/4	450	57	1450	132
	640	53		
	750	48		
SPI 250-51-110/4	360	53	1450	110
	550	51		
	650	47		
	450	77		

SPI 250-70-185/4	650	70	1450	185
	750	62		
SPI 250-67-160/4	380	71	1450	160
	600	67		
	720	58		
SPI 250-60-132/4	360	64	1450	132
	550	60		
	680	52		