

модель	поток		Поднимат ь (м)	Скорость (об/мин)	Мощность двигателя (кВт)	
	(л/с)	(м³/ч)				
HS125-80-200A	30.5	109.8	65.5	2950	37	
	46.3	166.7	56.9			
	56.5	203.4	51.7			
	30.3	109.1	55.9		2950	30
	43.2	155.5	49.2			
	55.5	199.8	39.6			
	28.1	101.2	47.9			
	40.2	144.7	40.9			30
48.2	173.5	36.2				
HS125-80-200A	16.8	60.5	16.1	1480	5.5	
	23.5	84.6	14.4			
	28.2	101.5	12.6			
	15.3	55.5	14.1		1480	5.5
	21.8	78.5	12.3			
	26.2	94.3	10			
	14.0	50.4	12.3			
	20.0	72.0	10.5			4
24.0	86.4	9.1				
HS125-80-200B	26.8	96.5	55.9	2950	30	
	37.7	135.7	52.8			
	45.3	163.1	47.6			
	24.6	88.6	52.7		2950	30
	35.1	126.4	45.0			
	42.1	151.6	37.7			
	22.4	80.6	44.0			
	31.9	114.8	37.3			18.5
38.3	137.9	35.3				
HS125-80-200B	12.9	46.4	14.8	1480	4	
	18.5	66.6	13.3			
	22.2	79.9	12.2			
	11.7	55.1	13.5		1480	3
	17.0	61.2	11.7			
	20.5	73.8	10.5			

	10.5	37.8	11.5		3
	15.4	55.4	9.6		
	19.0	68.4	8.6		
HS125-80-300A	40.9	147.2	102.4	2950	90
	58.5	210.6	93.1		
	70.2	252.7	82.8		
	38.0	136.8	90.0		75
	54.2	195.1	80.1		
	65.1	234.4	72.4		
	35.0	126.0	75.5		55
	52.0	187.2	68.0		
	60.0	216.0	60.1		
HS125-80-300A	20.6	74.2	26.1	1480	11
	29.4	105.8	23.4		
	35.3	127.1	20.5		
	19.1	68.8	22.7		11
	27.3	98.3	20.2		
	32.7	117.7	18.0		
	17.6	63.4	19.0		7.5
	25.1	90.4	17.1		
	30.1	108.4	14.8		
HS125-80-300B	33.8	121.7	97.8	2950	75
	48.3	173.9	85.4		
	58.0	208.8	74.3		
	31.4	113.0	84.5		55
	44.8	161.3	73.4		
	53.8	193.7	64.2		
	28.9	104.0	70.9		45
	41.3	148.7	62.3		
	49.5	178.2	55.0		
	16.9	60.8	24.7		11
	24.2	87.1	21.6		
	29.0	104.4	18.6		
	15.7	56.5	21.3		

HS125-80-300B	22.4	80.6	18.5	1480	7.5
	26.9	96.8	16.0		
	14.5	52.2	18.4		5.5
	20.7	74.5	15.7		
	24.8	89.3	13.9		
HS125-80-350A	8.2	29.6	45.2	1480	22
	32.4	116.3	40.4		
	42.5	153.0	30.5		
	7.3	26.5	39.0		18.5
	29.9	107.6	34.3		
	37.7	135.7	28.0		
	6.2	22.4	33.3		15
	25.8	92.9	29.6		
	33.1	119.3	24.0		
HS125-80-350B	7.4	26.5	44.7	1480	18.5
	28.3	102.0	36.9		
	37.4	134.6	29.0		
	6.2	22.4	38.5		15
	25.4	91.4	33		
	34.0	122.4	25.5		
	5.7	20.1	32.2		11
	23.5	84.5	26.5		
	27.7	100.0	23.7		
HS150-100-250A	42.1	151.5	93.6	2950	90
	81.9	294.8	78.0		
	106.2	382.5	64.5		
	34.2	123.2	82.0		75
	75.0	270.2	67.5		
	96.3	346.8	55.0		
	19.8	71.4	69.8		55
	68.2	245.4	54.1		
	92.1	331.5	43.2		
	10.7	38.7	24.4		

HS150-100-250A	41.1	147.9	19.5	1480	15	
	60.1	216.2	14.0		11	
	10.5	37.7	20.9			
	38.5	138.6	16.7			
	54.4	195.8	12.0			
	10.2	36.7	17.7			
	34.8	125.3	14.0			7.5
	49.0	176.5	10.6			
HS150-100-250B	14.7	53.0	91.5	2950		75
	69.5	250.4	70.7			
	96.3	346.8	52.5			
	14.6	52.5	79.0		75	
	64.5	232.2	60.8			
	87.8	316.2	45.6			
	14.3	51.5	67.6		55	
	60.2	216.8	53.0			
	79.3	285.6	40.8			
HS150-100-250B	8.5	30.6	22.6	1480	11	
	35	126.0	17.7			
	48.2	173.4	13.0			
	8.0	28.8	19.8		7.5	
	32.3	116.3	15.1			
	43.7	157.1	11.7			
	7.9	26.5	16.9		7.5	
	30	108.0	13.4			
	40.5	145.9	10.2			
HS150-100-300A	52.4	188.7	148.9	2950	200	
	104.3	375.4	127.9			
	127.5	459.0	106.1			
	39.7	142.8	130.2		160	
	96.8	348.4	108.2			
	116.2	418.2	93.1			
	28.3	102.0	108.7			

	89.2	321.1	93.6		132
	104.8	377.4	80.4		
HS150-100-300A	13.3	47.9	40.6	1480	30
	52.5	189.2	32.4		
	63.7	229.5	28.3		
	11.9	42.8	34.5		22
	48.9	176.0	28.1		
	57.8	208.1	24.4		
	10.8	38.8	29.0		18.5
	44.6	160.6	24.0		
	52.1	187.7	21.2		
HS150-100-300B	19.8	71.4	149.7	2950	160
	80.2	288.6	123.8		
	99.2	357.0	105.0		
	18.4	66.3	128.5		132
	74.6	268.5	107.1		
	89.5	322.2	90.5		
	17.4	62.5	109.1		110
	69.1	248.8	90.7		
	87.8	316.5	74.9		
HS150-100-300B	14.2	51.0	37.6	1480	18.5
	40.1	144.3	30.7		
	49.3	177.5	26.5		
	13.6	48.9	32.2		15
	37.3	134.2	26.5		
	46.5	167.3	22.5		
	13.3	47.9	27.0		15
	35.5	122.4	22.0		
	43.0	155.0	17.5		
	19.8	71.4	66.0		55
	52.5	189.2	54.1		
	68.4	246.3	41.8		
	18.4	66.3	55.1		

HS150-100-400A	46.5	167.4	48.0	1480	37	
	60.4	217.3	37.0			
	17.5	63.2	47.8			
	42.5	153.0	41.5		30	
	53.8	193.8	32.4			
HS150-100-400B	17.0	61.2	63.3	1480	45	
	46.2	166.3	54.1			
	61.5	221.3	44.1			
	16.4	59.2	53.2			37
	42.5	152.9	45.7			
	53.3	191.8	37.9			
	15.3	55.1	44.6			30
	37.5	135	40			
	47.6	171.4	34.0			
HS200-125-250A	39.5	142.3	83.8	2950	132	
	151.2	544.2	62.4			
	202.5	729.0	43.6			
	35.1	126.5	73.9			110
	139.7	503.9	54.1			
	184.2	663.0	37.4			
	33.7	121.4	63.5			90
	128.7	463.4	45.2			
	155.8	561.0	35.8			
HS200-125-250A	28.3	102.0	21.0	1480	18.5	
	77.8	280.1	15.4			
	104.8	377.4	10.0			
	26.0	93.8	18.5			15
	73.5	264.5	14.3			
	94.0	338.6	9.5			
	23.2	83.6	16.0			11
	65.8	237.0	11.3			
	80.7	290.7	8.1			
	31.4	113.2	86.7			

HS200-125-250B	133.8	481.9	62.9	2950	110	
	187.5	675.2	41.6		90	
	30.0	108.1	75.0			
	125.3	451.0	55.1			
	167.7	603.8	39.1			
	30.1	108.5	63.7			
	115.0	414	47.3			75
	144.5	520.2	37.5			
HS200-125-250B	28.3	102.0	21.0	1480		18.5
	72.7	261.6	15.7			
	90.7	326.5	12.5			
	26.6	95.6	18.3		15	
	68.7	247.3	13.7			
	85.1	306.4	10.7			
	25.5	91.8	15.6		11	
	63.4	228.3	11.9			
	75.1	270.3	10.1			
HS200-125-300A	107.7	387.9	124.8	2950	220	
	151.7	546.2	112.3			
	181.3	652.8	96.3			
	85.7	308.5	107.6		185	
	136.9	493.0	95.1			
	178.5	642.6	75.9			
	70.0	193.8	95.7		160	
	123.8	445.9	80.0			
	170.0	612.0	58.0			
HS200-125-300A	28.3	102.0	34.2	1480	30	
	76.5	275.4	28.1			
	106.2	382.5	21.3			
	25.0	81.9	29.2		22	
	69.0	248.6	23.5			
	98.6	355.0	16.1			
	21.2	76.5	25.1			

	62.3	224.9	20.0		18.5	
	87.8	316.2	14.2			
HS200-125-300B	65.1	234.6	117	2950	200	
	135.8	489.0	104			
	164.4	592.0	87			
	51.7	186.0	108		160	
	123.9	446.0	87			
	153.0	551.0	74			
	36.4	131.0	93			
	113.6	409.0	73			132
	144.4	520.0	56			
HS200-125-300B	28.3	102.0	35	1480	30	
	68.7	247.3	26			
	92.0	377.4	18			
	25.6	92.1	27		22	
	60.0	216.0	23.5			
	82.1	295.8	16.3			
	22.7	81.6	23			
	57.5	206.9	18			15
	70.8	255.0	14.4			
HS200-125-385A	35.3	127	55.6	1480	75	
	88.0	317	49			
	123.3	444	39			
	29.4	106	47		55	
	80.0	288	41			
	112.0	403	31.8			
	26.4	95	38			
	71.9	259	33			37
	99.2	357	26			
	28.3	102	52.0		55	
	78.9	284	45.0			
	107.0	385.2	34.0			
	26.1	94	45.0			



HS200-125-385B	67.2	241.9	38.0	1480	45	
	96.5	347.4	29.0			
	23.9	86	37.0			
	62.0	223.2	32.0		37	
	85.0	306	25.0			
HS200-125-480A	30.8	111	89	1480	110	
	93.0	335	79			
	107.8	388	74			
	28.3	102	78			90
	82.5	297	69			
	99.4	358	62			
	25.5	92	67			75
	71.4	257	58			
	85.0	306	53			
HS200-125-480B	28.3	102	84	1480	90	
	83.3	300	72			
	104.7	377	64			
	27	97.2	73			75
	77.8	280	63			
	90.8	327	57			
	25.1	90.4	63			55
	64.8	233.3	55			
	80.1	288.4	48			
HS200-150-300A	45.3	163	30	1480	37	
	125.5	452	22			
	172.5	621	15			
	42.8	154	26			30
	116.4	419	19			
	155.8	561	13			
	36.9	133	23			30
	106.9	384.8	16			
	136.1	490	12			
	39.7	143	29			

HS200-150-300B	112.5	405	21	1480	37	
	148.6	535	15		30	
	38.3	138	25			
	102.8	370	19			
	140.5	506	12		22	
	36.4	131	23			
	96.4	347	15			
	126.4	455	11			
HS200-150-350A	51.1	184	47	1480	75	
	126.7	456	39			
	167.8	604	32			
	49.7	179	40.5		55	
	114.4	412	32			
	150.0	592	26			
	45.8	165	35			37
	102.8	370	26			
	140.3	505	19			
HS200-150-350B	42.5	153	47	1480	75	
	115.5	416	37			
	155.8	561	28			
	39.7	143	40		55	
	106.1	382	31			
	133.3	480	24			
	36.9	133	34			37
	97.5	351	26			
	130.3	469	18			
HS200-150-365A	58	209	183.8	2950	250	
	97	349	160.6			
	116	419	151.0			
	56	202	165.4		220	
	94	337	146.2			
	112	404	134.3			
	53	191	149.4			

	89	319	131.9		200
	106	382	119.1		
HS200-150-450A	56.7	204	78.0	1480	160
	146.1	526	68.5		
	181.4	653	59.5		
	53.9	194	66.5		110
	132.8	478	56.5		
	170.0	612	47.0		
	51.1	184	54.5		75
	118.6	427	45.0		
	153.0	551	36.5		
HS200-150-450B	42.5	153	74.0	1480	110
	124.7	449	62.5		
	165.0	594	50.0		
	39.7	143	62.5		90
	113.9	410	52.0		
	150.0	540	38.0		
	36.7	132	51.5		75
	101.7	366	43.0		
	135.0	486	32.0		
HS200-150-560A	56.7	204	125.8	1480	250
	165.5	596	109.2		
	206.9	745	95.8		
	51.1	184	109.2		200
	151.9	547	92.0		
	186.9	673	83.2		
	47.8	172	94.4		185
	139.7	503	81.0		
	175.5	632	69.7		
	56.7	204	113.4		220
	152.2	548	93.6		
	175.5	632	85.2		
	42.5	153	99.8		

HS200-150-560B	141.7	510	81.1	1480	185
	164.4	592	72.8		
	41.3	149	86.3		160
	132.8	478	71.2		
	153.0	551	63.4		
HS250-200-250A	100	360	17.5	1480	30
	135	485	14		
	160	576	11		
	94	340	15.6		30
	127	458	12.5		
	150	540	9.8		
	89	320	13.7		22
	119	430	11		
	140	504	8.6		
HS250-200-350A	70.8	255	41.5	1480	75
	196.9	709	31.0		
	266.4	959	21.0		
	68.0	245	36.5		75
	181.7	654	26.5		
	239.4	862	18.5		
	65.3	235	31.5		55
	170.0	612	22.5		
	212.5	765	17.0		
HS250-200-350B	70.8	255	39.0	1480	75
	180.5	650	29.5		
	246.4	887	19.0		
	68.0	245	34.5		75
	168.9	608	26.5		
	225.3	811	18.0		
	66.7	240	30.0		55
	156.4	563	22.0		
	199.7	719	16.0		
	75.0	270	65.0		

HS250-200-400A	201.0	724	54.0	1480	160	
	270.0	972	43.0			
	70.5	254	66.5			
	178.4	642	45.0		110	
	253.6	913	32.5			
	67.5	243	47.5			
	165.8	597	37.0		90	
	220.8	795	26.0			
HS250-200-400B	71.0	255	63.5	1480	132	
	183.5	661	50.0			
	245.0	882	38.5			
	67.0	241	54.0			90
	163.5	589	42.0			
	212.5	765	33.5			
	61.0	219	46.0			
	148.5	535	36.0		75	
	204.0	734	26.0			
HS250-200-550A	134.5	484	104.0	1480	315	
	231.0	833	94.0			
	306.0	1101	78.5			
	130.0	469	88.0			250
	212.0	774	78.8			
	273.0	984	67.0			
	125.0	450	72.5			
	194.5	700	63.5		185	
	256.0	922	54.0			
HS250-200-550B	73.5	265	102.0	1480	250	
	208.0	749	85.0			
	270.0	974	69.5			
	71.0	255	86.0			200
	190.0	683	71.0			
	249.0	897	60.0			
	68.0	245	71.0			

	177.0	637	59.0		160
	232.0	836	48.0		
HS250-200-650A	79.4	286	173.5	1480	500
	224.5	808	156.0		
	260.0	934	148.0		
	76.5	275	149.8		400
	206.7	744	135.1		
	255.0	918	119.6		
	73.5	265	129.0		
	189.5	682	115.0		
	245.0	881	97.0		
HS250-200-650B	71.0	255	159.0	1480	400
	204.0	735	138.0		
	243.6	877	127.0		
	68.0	245	137.0		355
	190.0	684	119.0		
	224.0	806	110.0		
	65.0	235	118.0		
	176.0	634	102.5		
	204.0	734	96.0		
HS300-250-300A	170	612	22	1480	55
	219	790	19		
	260	935	14		
	152	548	20.3		55
	207	745	17		
	241	867	13		
	135	485	18.5		
	194	700	15		
	222	798	12.1		
	113.0	408	52.0		160
	298.0	1073	40.5		
	411.0	1479	29.0		
	108.0	388	46.0		

HS300-250-400A	274.0	987	35.5	1480	132
	371.0	1336	25.0		
	107.5	387	39.5		110
	259.0	933	29.0		
	328.5	1183	21.5		
HS300-250-400B	113.0	408	52.5	1480	160
	292.0	1050	38.5		
	386.0	1390	28.0		
	111.0	398	45.6		132
	271.0	977	33.5		
	365.0	1316	23.0		
	106.0	383	39.5		110
	249.0	898	29.0		
	331.0	1193	21.0		
HS300-250-475A	119.0	428	86.0	1480	315
	332.5	1197	68.5		
	455.5	1640	52.0		
	113.0	408	71.5		250
	293.5	1057	58.5		
	411.0	1479	43.5		
	105.0	377	61.0		185
	276.0	994	47.5		
	354.0	1275	37.5		
HS300-250-475B	113.0	408	78.0	1480	250
	306.0	1102	57.5		
	411.0	1479	39.5		
	105.0	377	66.5		200
	275.0	990	50.0		
	368.3	1326	35.0		
	99.0	357	56.0		160
	258.0	929	42.0		
	331.0	1193	31.0		
	227	816	136.0		

HS300-250-600A	352	1266	120.5	1480	560
	464	1672	102.0		
	212	765	119.5		
	327	1177	104.0		450
	453	1632	82.0		
	198	714	100.5		
	305	1098	87.5		355
	419	1509	67.5		
HS300-250-600B	113	408	131.0	1480	450
	295	1064	108.0		
	401	1443	83.5		
	110	398	114.5		
	275	991	94.0		355
	360	1296	77.0		
	108	388	96.0		
	250	901	77.5		280
340	1224	60.5			
HS300-250-700A	96	345	196.4	1480	710
	270	973	176.6		
	313	1125	167.6		
	92	331	169.6		
	249	896	152.9		560
	307	1106	135.4		
	89	319	146.0		
	228	822	130.2		500
295	1061	109.8			
HS300-300-250A	170	612	14.5	1480	37
	219	790	12		
	250	900	10		
	157	564	13		
	205	737	11		37
	233	840	9.3		
	143	515	11.5		



	190	684	10		30
	217	781	8.5		
HS350-300-350A	142	510	35.0	1480	110
	312	1123	25.5		
	418	1504	17.0		
	136	490	29.5		90
	289	1040	21.0		
	403	1453	11.8		
	130	468	25.0		75
	270	972	17.0		
	365	1315	8.0		
HS350-300-350B	113	408	32.0	1480	90
	265	956	23.5		
	340	1224	17.0		
	110	396	27.8		75
	248	893	21.0		
	320	1152	13.9		
	105	377	24.5		55
	227	817	17.5		
	306	1101	11.0		
HS350-350-300A	270	972	20	1480	75
	350	1260	16		
	400	1440	13.4		
	246	886	16.9		75
	320	1152	14.5		
	375	1350	11.7		
	222	800	13.7		55
	290	1044	13		
	350	1260	10		
	198	714	70.5		355
	475	1711	55.0		
	650	2340	40.0		
	187	673	61.5		

HS400-300-450A	446	1607	47.0	1480	280
	595	2142	33.0		
	175	632	52.0		220
	418	1505	38.0		
	510	1836	28.5		
HS400-300-450B	170	612	70.5	1480	315
	458	1650	53.5		
	634	2284	36.5		
	164	592	61.5		250
	430	1548	47.0		
	578	2080	31.5		220
	158	571	53.0		
	403	1450	39.0		
	527	1897	27.0		
HS400-300-550A	198	714	115.5	1480	630
	495	1782	98.0		
	666	2397	80.5		
	193	694	96.0		450
	466	1678	80.5		
	615	2213	66.5		355
	184	663	80.5		
	445	1604	65.5		
	604	2174	51.0		
HS400-300-550B	170	612	104.0	1480	450
	439	1581	83.0		
	603	2172	62.5		
	167	602	89.5		400
	410	1476	70.0		
	561	2019	52.5		315
	164	592	76.0		
	385	1387	59.0		
	515	1856	47.5		
	255	918	190.0		

HS400-300-700A	520	1871	167.5	1480	1120	
	565	2034	163.0			
	272	979	163.0			
	491	1769	144.5		900	
	575	2070	131.0			
	227	816	140.5			
	460	1655	119.5		710	
	532	1917	108.0			
HS400-300-700B	170	612	178.0	1480	900	
	478	1723	144.5			
	612	2203	121.0			
	164	592	153.0			710
	445	1604	124.0			
	566	2040	104.0			
	153	550	127.0			560
	410	1479	103.0			
	515	1856	90.0			
HS400-350-400A	170	612	47.0	1480	220	
	490	1764	33.0			
	645	2322	21.5			
	164	592	41.5			185
	479	1725	27.5			
	612	2203	17.5			
	158	570	35.0			160
	465	1674	22.0			
	588	2120	13.0			
HS400-350-400B	142	510	44.0	1480	185	
	402	1450	32.0			
	500	1800	25.0			
	130	468	39.5			160
	378	1361	27.5			
	510	1836	18.0			
	120	432	33.5			

	360	1296	23.9		132
	455	1640	16.0		
HS450-350-450A	283	1020	61.5	1480	450
	778	2800	45.0		
	992	3570	32.0		
	269	970	52.5		400
	720	2592	38.0		
	950	3420	25.0		
	255	920	44.5		315
	685	2466	31.0		
	900	3240	20.0		
HS450-350-450B	212	765	60.5	1480	400
	632	2275	44.0		
	800	2880	33.5		
	199	715	53.5		280
	580	2088	36.5		
	779	2805	26.0		
	192	690	47.0		250
	540	1944	31.0		
	680	2448	24.0		
HS400-350-520A	383	1380	90.5	1480	710
	739	2660	73.0		
	1000	3600	53.0		
	311	1120	81.5		560
	687	2475	62.5		
	950	3420	42.0		
	212	765	71.0		450
	632	2275	52.0		
	807	2905	39.5		
	242	870	92.0		630
	694	2500	70.0		
	948	3415	50.0		
	226	815	81.5		

HS400-350-520B	641	2310	61.0	1480	500
	907	3265	41.0		
	212	765	70.5		400
	592	2130	52.0		
	807	2905	36.5		
HS400-350-600A	408	1469	143.5	1480	1000
	623	2242	130.0		
	765	2754	115.5		
	378	1361	132.5		900
	576	2074	121.0		
	749	2697	100.0		
	355	1279	121.0		
	536	1930	110.0		
	714	2570	91.5		
HS500-350-530A	450	1620	40	980	280
	561	2020	35		
	650	2340	28		
	419	1510	35.5		220
	523	1883	31		
	606	2180	24.5		
	389	1400	31		
	485	1746	27		
	561	2020	21		
HS500-400-500A	406	1462	28.4	980	200
	645	2323	21.6		
	783	2820	16.8		
	401	1443	27.5		185
	631	2272	19.8		
	754	2716	15.2		
	394	1417	26.2		
	616	2218	18.0		
	725	2611	16.4		
	434	1565	102.0		

HS500-400-550A	745	2682	89.5	1480	900	
	968	3488	73.5			
	416	1500	94.5			
	714	2570	82.0		800	
	926	3335	66.5			
	402	1448	86.0			
	685	2466	75.0		710	
	888	3200	59.0			
HS500-400-550B	373	1345	79.0	1480	560	
	619	2230	66.5			
	805	2900	49.0			
	361	1300	73.0			450
	579	2085	60.0			
	752	2710	46.0			
	348	1255	63.5			400
	532	1915	53.0			
	694	2500	40.5			
HS500-400-600A	543	1957	135.0	1480	1400	
	899	3239	117.5			
	1161	4182	97.0			
	504	1815	123.5			1120
	852	3067	107.5			
	1107	3988	87.0			
	493	1774	113.5			1000
	828	2980	96.5			
	1076	3876	73.5			
HS500-400-600B	444	1600	105.0	1480	800	
	708	2550	93.5			
	920	3315	70.5			
	428	1540	97.0			710
	686	2470	85.0			
	877	3160	65.5			
	425	1530	89.0			

	666	2400	77.0		630
	850	3060	56.0		
HS500-400-700A	398	1433	78.0	980	560
	617	2220	68.5		
	796	2866	56.8		
	348	1253	68.2		450
	570	2052	59		
	697	2507	51.2		
	299	1075	59.4		355
	500	1800	50.5		
	627	2257	46.1		
HS500-400-950A	498	1791	151.5	980	1250
	796	2866	133.6		
	970	3492	118.5		
	423	1523	133.8		1000
	720	2592	115		
	870	3132	103		
	373	1343	116		800
	640	2304	102		
	796	2866	90.5		
HS500-450-400A	398	1432	15.5	980	110
	560	2016	13.2		
	682	2455	10.9		
	376	1353	13.9		90
	537	1933	11.6		
	644	2319	9.3		
	358	1289	12.5		75
	512	1842	10.3		
	614	2210	8.2		
	557	2005	35.0		315
	885	3186	26.7		
	1075	3868	20.8		
	550	1980	34.0		

HS600-500-550A	866	3116	24.5	980	280
	1035	3726	18.8		
	540	1944	32.3		250
	845	3042	22.2		
	995	3582	20.3		
HS600-500-550B	550	1980	32.6	980	280
	827	2977	25.0		
	970	3492	19.8		
	515	1854	26.7		220
	756	2722	21.0		
	875	3150	17.3		
	480	1728	22.7		
	715	2574	16.8		
	835	3006	12.8		
HS600-500-650A	693	2495	52.4	980	630
	995	3582	46.5		
	1200	4320	38.3		
	650	2340	50.0		560
	980	3528	43.0		
	1150	4140	36.0		
	625	2250	47.0		
	900	3240	41.0		
	1100	3960	33.6		
HS600-500-650B	548	1973	53.0	980	450
	895	3222	40.1		
	1100	3960	29.4		
	555	1998	50.0		450
	860	3096	39.0		
	1030	3708	30.3		
	515	1854	46.5		
	840	3024	35.0		
	990	3564	27.4		
	515	1854	43.7		



HS600-500-650C	790	2844	36.2	980	400	
	950	3420	29.8			
	500	1800	38.5			
	710	2556	32.5		315	
	870	3132	25.8			
	480	1728	33.7			
	670	2412	28.5		280	
	800	2880	24.6			
HS600-500-710A	759	2732	74.3	980	900	
	1085	3906	65.7			
	1305	4698	56.5			
	705	2538	79.4			800
	986	3550	62.8			
	1200	4320	54.0			
	652	2347	64.6			710
	926	3334	58.0			
	1120	4032	49.7			
HS600-500-710B	759	2732	85.0	980	1000	
	1085	3906	75.3			
	1321	4756	65.5			
	751	2704	78.6			900
	1085	3906	70.0			
	1300	4680	61.2			
	690	2484	74.0			800
	986	3550	65.7			
	1183	4259	58.0			
HS600-500-710C	520	1872	70.0	980	560	
	810	2916	54.2			
	985	3546	45.1			
	500	1800	57.7			450
	750	2700	47.5			
	880	3168	41.2			
	480	1728	48.5			

	670	2412	41.7		400	
	785	2826	35.9			
HS600-500-800A	750	2700	94.0	980	1200	
	1215	4374	80.8			
	1500	5400	68.7			
	730	2628	83.3		1000	
	1110	3996	71.6			
	1390	5004	61.8			
	715	2574	71.7			
	1000	3600	62.0			800
	1305	4698	77.5			
HS600-500-800B	693	2495	82.0	980	900	
	990	3564	73.0			
	1188	4277	65.2			
	644	2317	73.1		710	
	920	3312	65.6			
	1109	3992	57.4			
	569	2048	67.2			
	812	2923	59.3			630
	985	3546	51.6			
HS600-500-800C	650	2340	74.6	980	800	
	1015	3654	64.0			
	1280	4608	52.9			
	640	2304	67.8		710	
	950	3420	60.0			
	1230	4428	48.5			
	620	2232	61.1			
	885	3186	53.4			630
	1085	3906	46.5			
	523	1884	94.7		900	
	872	3140	85			
	1047	3768	73.7			
	487	1752	81.9			

HS600-500-800D	811	2920	73.5	980	800	
	973	3504	63.7			
	450	1620	70		630	
	750	2700	62.9			
	900	3240	54.5			
HS600-500-900A	924	3326	121.7	980	1800	
	1318	4745	106.0			
	1479	5324	97.5			
	825	2970	109.0		1400	
	1170	4212	96.5			
	1400	5040	83.8			
	776	2794	97.0			
	1110	3996	84.0			1120
	1319	4748	72.3			
HS600-500-900B	980	3528	128.0	980	1800	
	1388	4997	112.8			
	1800	6480	95.0			
	850	3060	112.5		1600	
	1230	4428	98.0			
	1578	5681	82.4			
	790	2844	100.0			
	1110	3996	88.0			1200
	1380	4968	74.6			
HS600-500-900C	804	2894	127.4	980	1600	
	1153	4151	110.0			
	1400	5040	92.6			
	740	2664	109.0		1250	
	1048	3773	92.5			
	1260	4536	77.1			
	650	2340	100.1			
	924	3326	82.3			1000
	1109	3992	75.0			
	730	2628	105.2			

HS600-500-900D	1040	3744	95.5	980	1250
	1242	4471	87.0		
	695	2484	96.5		
	985	3546	86.8		1120
	1183	4259	78.0		
	660	2376	87.9		
	960.	3456	77.1		1000
	1153	4151	68.4		
HS700-600-550A	995	3582	31.0	980	450
	1413	5087	22.7		
	1616	5816	17.6		
	932	3355	28.6		
	1293	4655	21.8		400
	1592	5731	15.0		
	820	2952	24.7		
	1169	4208	17.9		315
	1393	5015	12.9		
HS700-600-550B	750	2700	37.4	980	450
	1065	3834	30.7		
	1275	4590	24.1		
	716	2578	32.1		
	995	3582	26.2		400
	1194	4298	20.2		
	695	2502	27.0		
	900	3240	22.5		315
	1095	3942	16.5		
HS700-600-550C	1007	3625	44.3	980	630
	1442	5191	34.4		
	1730	6228	25.0		
	945	3402	37.3		
	1368	4925	29.4		560
	1660	5976	22.0		
	940	3384	31.4		

	1340	4824	23.0		450
	1567	5641	17.4		
HS700-600-550D	780	2806	27.7	980	315
	1083	3898	21.7		
	1245	4482	17.4		
	746	2686	24.5		280
	1060	3816	18.2		
	1160	4176	15.8		
	715	2574	21.2		220
	990	3564	16.2		
	1095	3942	12.8		
HS700-600-550E	918	3304	38	980	560
	1530	5507	25.5		
	1836	6608	17.6		
	881	3172	32.1		450
	1469	5287	21.6		
	1762	6344	14.9		
	844	3040	32.2		450
	1407	5066	21.6		
	1689	6079	14.9		
HS700-600-580A	600	2160	44	980	500
	1000	3600	38.5		
	1200	4320	32.1		
	570	2052	39.7		400
	950	3420	34.7		
	1140	4104	29		
	540	1944	35.6		355
	900	3240	31.2		
	1080	3888	26		
	866	3118	48.5		710
	1238	4455	41.6		
	1485	5346	34.7		
	830	2988	42.0		

HS700-600-600A	1188	4277	35.2	980	560
	1377	4957	29.4		
	792	2851	35.8		450
	1108	3989	29.0		
	1257	4525	24.5		
HS700-600-600B	723	2603	39.0	980	450
	1050	3780	32.0		
	1200	4320	27.0		
	693	2495	34.3		400
	935	3366	29.4		
	1089	3920	24.9		
	663	2387	29.8		
	880	3168	25.6		
	1100	3960	21.9		
HS700-600-600C	800	2880	51.5	980	710
	1333	4800	40		
	1600	5760	34		
	760	2736	46.5		560
	1267	4560	36.1		
	1520	5472	30.7		
	720	2592	41.7		
	1200	4320	32.4		
	1440	5184	27.5		
HS700-600-680A	1260	4536	49.5	980	900
	1800	6480	40.0		
	2160	7776	32.7		
	1190	4284	43.3		710
	1710	6156	34.7		
	2040	7344	26.5		
	1120	4032	38.0		
	1600	5760	29.2		
	1920	6912	22.3		
	918	3305	69.0		

HS700-600-700A	1310	4716	60.8	980	1000
	1573	5663	52.0		
	877	3157	60.3		
	1224	4406	52.0		800
	1468	5285	43.6		
	820	2952	53.0		
	1150	4141	44.5		710
	1355	4878	37.9		
HS700-600-700B	740	2664	64.4	980	710
	1020	3672	56.0		
	1250	4498	44.5		
	710	2556	54.0		
	935	3366	47.6		560
	1150	4140	38.4		
	690	2484	47.0		
	880	3168	42.0		500
	1040	3744	36.2		
HS700-600-900A	1185	4266	120.0	980	2240
	1775	6390	100.0		
	2070	7452	89.0		
	1140	4104	106.0		
	1676	6034	90.0		1800
	1873	6743	83.0		
	1120	4032	92.0		
	1575	5670	79.5		1600
	1725	6210	72.7		
HS700-600-900B	1148	4133	104.3	980	1800
	1636	5890	89.8		
	1972	7099	71.3		
	1035	3726	86.9		
	1479	5324	77.1		1400
	1775	6390	61.6		
	986	3550	81.0		

	1380	4968	67.4		1120
	1636	5890	55.0		
HS700-600-900C	1085	3906	112.0	980	2000
	1540	5544	103.3		
	1848	6653	93.5		
	1010	3636	100.0		1600
	1417	5101	90.6		
	1725	6210	78.7		
	912	3283	88.7		1250
	1280	4608	78.6		
	1540	5544	69.3		
HS700-600-900D	872	3139	81.4	980	1120
	1275	4590	69.0		
	1600	5760	58.0		
	838	3017	71.5		900
	1170	4212	61.0		
	1380	4968	52.8		
	800	2880	62.0		800
	1085	3906	53.0		
	1232	4435	47.0		
HS800-600-650A	1214	4372	25.2	740	450
	1528	5500	22		
	1735	6246	18.1		
	1166	4197	23.2		400
	1467	5280	20.3		
	1666	5996	16.7		
	1117	4022	21.3		355
	1406	5060	18.6		
	1596	5746	15.3		
	1083	3900	109.5		2000
	1806	6500	90		
	2167	7800	76.5		
	1008	3627	94.7		



HS800-600-1150A	1679	6045	77.8	740	1600
	2015	7254	66.2		
	932	3354	81		1250
	1553	5590	66.5		
	1863	6708	56.6		
HS800-700-560A	1326	4774	37.5	980	710
	1836	6610	31.2		
	2210	7956	24.9		
	1285	4626	34.8		630
	1785	6426	29.1		
	2140	7704	23.0		
	1255	4518	31.5		630
	1700	6120	27.0		
	2015	7254	22.8		
HS800-700-560B	1020	3672	33.0	980	450
	1405	5058	24.6		
	1734	6242	14.5		
	970	3492	30.1		400
	1340	4824	21.7		
	1680	6048	13.3		
	915	3294	27.5		355
	1275	4590	20.0		
	1530	5508	14.5		
HS800-700-690A	917	3300	36.8	740	630
	1528	5500	32		
	1833	6600	25.5		
	871	3135	33.2		560
	1451	5225	28.9		
	1742	6270	23		
	825	2970	29.8		450
	1375	4950	25.9		
	1650	5940	20.7		
	1275	4590	57.0		

HS800-700-700A	1836	6610	45.5	980	1120
	2240	8064	34.0		
	1225	4410	53.0		
	1785	6426	41.5		1000
	2085	7506	33.2		
	1175	4230	48.6		
	1680	6048	38.0		900
	2015	7254	29.4		
HS800-700-700B	1260	4536	62.1	980	1120
	1750	6300	53.0		
	2160	7776	41.4		
	1220	4392	55.1		
	1680	6048	45.7		1000
	2080	7488	35.3		
	1170	4212	49.8		
	1630	5868	40.5		900
	2020	7272	29.0		
HS800-700-700C	1100	3960	51.1	980	800
	1580	5688	41.0		
	1905	6858	32.2		
	1050	3780	45.0		
	1500	5400	36.0		710
	1785	6426	29.1		
	1020	3672	39.5		
	1417	5101	32.0		630
	1675	6030	26.8		
HS800-700-800A	1083	3900	39.5	740	800
	1806	6500	34		
	2167	7800	28.3		
	1029	3705	35.6		
	1715	6175	30.7		710
	2058	7410	25.5		
	975	3510	32		

	1625	5850	27.5		560
	1950	7020	22.9		
HS800-700-850A	1479	5324	94.4	980	2000
	2091	7528	83.0		
	2550	9180	69.3		
	1397	5029	82.5		1800
	1978	7120	70.0		
	2352	8647	59.0		
	1305	4698	71.2		1400
	1842	6631	60.3		
	2177	7837	50.9		
HS800-700-850B	1071	3656	73.2	980	1120
	1530	5508	62.0		
	1800	6480	51.6		
	1000	3600	64.3		1000
	1385	4986	55.4		
	1611	5800	46.5		
	900	3240	56.5		800
	1224	4406	47.2		
	1428	5141	42.9		
HS800-700-900A	1167	4200	59.8	740	1120
	1944	7000	50		
	2333	8400	40.3		
	1108	3990	54		1000
	1847	6650	45.1		
	2217	7980	36.4		
	1050	3780	48.4		900
	1750	6300	40.5		
	2100	7560	32.6		
	917	3300	58		1000
	1528	5500	50		
	1833	6600	43.2		
	871	3135	52.3		

HS800-700-900B	1451	5225	45.1	740	800	
	1742	6270	39			
	825	2970	47		710	
	1375	4950	40.5			
	1650	5940	35			
HS800-700-1000A	1183	4260	84.7	740	1800	
	1972	7100	72.5			
	2367	8520	57.1			
	1124	4047	76.4		1600	
	1874	6745	65.4			
	2248	8094	51.5			
	1065	3834	68.6			
	1775	6390	58.7			1250
	2130	7668	46.2			
HS800-700-1000B	917	3300	90	740	1600	
	1528	5500	80			
	1833	6600	66.8			
	853	3069	77.8		1250	
	1421	5115	69.2			
	1705	6138	57.8			
	788	2838	66.6			
	1314	4730	59.2			1000
	1577	5676	49.4			
HS900-800-680A	1260	4536	17.0	590	355	
	1800	6480	14.5			
	2160	7776	12.0			
	1190	4284	15.2		315	
	1700	6120	12.7			
	2040	7344	10.2			
	1134	4082	13.7			
	1620	5832	11.3			250
	1944	6998	9.0			
	1760	6336	35.8			

HS900-800-800A	2514	9050	27.2	730	900
	3020	10872	19.2		800
	1680	6048	32.7		710
	2400	8640	24.5		
	2835	10206	18.0		
	1610	5796	30.2		
	2315	8334	22.2		
	2675	9630	16.6		
HS900-800-800B	1408	5069	29.6	730	630
	2030	7308	22.5		560
	2464	8870	15.3		450
	1370	4932	27.4		
	1946	7006	20.7		
	2342	8431	14.2		
	1330	4788	24.3		
	1840	6624	18.7		
	2213	7967	13.0		
HS900-800-850A	1775	6390	54.5	730	1400
	2515	9054	46.4		1250
	3020	10872	39.0		1120
	1745	6282	50.2		
	2415	8694	42.5		
	2890	10404	35.9		
	1694	6098	45.0		
	2303	8290	39.0		
	2816	10138	31.8		
HS900-800-850B	1470	5292	50.7	730	1120
	2090	7524	43.5		1000
	2545	9162	35.2		
	1440	5184	45.8		
	2000	7200	39.3		
	2415	8694	32.2		
	1370	4932	41.0		

	1896	6826	35.0		900
	2268	8165	28.5		
HS900-800-900A	2135	7686	50.0	730	1600
	3050	10980	41.0		
	3660	13176	34.0		
	2030	7308	46.8		1400
	2900	10440	38.5		
	3480	12528	28.8		
	1932	6955	42.5		1200
	2760	9936	37.0		
	3312	11923	29.7		
HS900-800-1000A	1850	6660	74.5	730	2000
	2662	9583	64.3		
	3190	11484	53.3		
	1824	6566	65.6		1800
	2554	9194	55.8		
	3020	10872	47.3		
	1760	6336	59.5		1600
	2453	8831	50.3		
	2859	10292	43.0		
HS900-800-1000B	1560	5616	61.5	730	1400
	2222	7999	52.4		
	2680	9648	44.3		
	1510	5436	56.5		1250
	2140	7704	48.0		
	2565	9234	40.4		
	1430	5148	51.3		1120
	2020	7272	43.5		
	2410	8676	36.2		
	1292	4650	99		2240
	2153	7750	85		
	2583	9300	75.8		
	1201	4325	85.6		

HS900-800-1150B	2002	7208	73.5	740	1800
	2403	8649	65.6		
	1111	3999	73.2		1400
	1851	6665	62.9		
	2222	7998	56		
HS1000-900-800A	1530	5508	21.4	585	630
	2550	9180	19.1		
	3060	11016	16.4		
	1469	5288	19.7		560
	2448	8813	17.6		
	2938	10575	15.1		
	1408	5067	18.1		500
	2346	8446	16.2		
	2815	10135	13.9		
HS1000-900-1000A	2590	9324	40.5	590	1600
	3700	13320	33.0		
	4440	15984	27.0		
	2470	8892	35.8		1250
	3530	12708	29.0		
	4236	15250	22.4		
	2327	8377	32.6		1120
	3325	11970	25.4		
	3990	14364	19.5		
HS1000-900-1050A	2590	9324	48.8	590	1800
	3750	13500	41.0		
	4440	15984	35.1		
	2500	9000	44.3		1600
	3575	12870	37.0		
	4290	15444	30.7		
	2380	8568	40.2		1400
	3400	12240	32.5		
	4080	14688	26.3		
	2650	9540	67.4		

HS1000-900-1150A	3790	13644	56.6	590	2500	
	4550	16380	46.7			
	2495	8982	61.2		2240	
	3565	12834	51.5			
	4280	15408	41.7			
	2345	8442	55.2			
	3350	12060	49.0			2000
	4020	14472	38.6			
HS1200-1000-1000A (水利用)	2590	9324	40.5	590	1600	
	3700	13320	33			
	4440	15984	27			
	2470	8892	35.8		1250	
	3530	12708	29			
	4236	15250	22.4			
	2327	8377	32.6			
	3325	11970	25.4			1120
	3990	14364	19.5			
HS1200-1000-1100A	2667	9600	57.7	590	2500	
	4444	16000	45			
	5333	19200	38.5			
	2560	9216	53.2		2240	
	4267	15360	41.5			
	5120	18432	35.5			
	2453	8832	48.8			
	4089	14720	38			2000
	4907	17664	32.6			
HS1200-1000-1150A (水利用)	2650	9540	67.4	590	2500	
	3790	13644	56.6			
	4550	16380	46.7		2240	
	2495	8982	61.2			
	3565	12834	51.5			
	4280	15408	41.7			
	2345	8442	55.2			



	3350	12060	49		2000
	4020	14472	38.6		
HS1200-1000-1200A	3150	12636	36.8	490	1600
	4510	16236	31.0		
	5410	19476	25.7		
	2950	10620	33.6		1400
	4215	15714	26.6		
	5060	18216	21.9		
	2793	10055	29.0		
	3990	14364	22.8		
	4800	17280	18.5		
HS1200-1000-1250A	2529	9104	74.1	590	3150
	4215	15174	62		
	5058	18208	49.9		
	2377	8558	65.5		2500
	3962	14264	54.8		
	4754	17116	44.1		
	2235	8047	57.9		
	3726	13412	48.4		
	4471	16094	40		
					2240

泵型号 Pump Type			HS800-600-650A					
序号 No.	流量 Capacity		扬程 Head	转速 Speed	效率 Eff.	轴功率 Shalf Power	电机功率 Motor Power	汽蚀余量 (NPSH) r
	(L/s)	(m <sup>3</sup> /h)	(m)	(r/min)	(%)	(kw)	(kw)	(m)
1	1214	4372	25.2	740	89	370.5	450	7
	1528	5500	22					
	1735	6246	18.1					
2	1166	4197	23.2					
	1467	5280	20.3					
	1666	5996	16.7					
3	1117	4022	21.3					
	1406	5060	18.6					
	1596	5746	15.3					

泵型号 Pump Type			HS800-600-1150A					
序号 No.	流量 Capacity		扬程 Head	转速 Speed	效率 Eff.	轴功率 Shalf Power	电机功率 Motor Power	汽蚀余量 (NPSH) r
	(L/s)	(m <sup>3</sup> /h)	(m)	(r/min)	(%)	(kw)	(kw)	(m)
1	1083	3900	109.5	740	90	1771.3	2000	6.2
	1806	6500	90					
	2167	7800	76.5					
2	1008	3627	94.7					
	1679	6045	77.8					
	2015	7254	66.2					
3	932	3354	81					
	1553	5590	66.5					
	1863	6708	56.6					

泵净重 Pump Net Weight
(kg)
7894
7894
7894

泵净重 Pump Net Weight
(kg)