

модель	ПОТОК		Поднимат ь (м)	Скорость (об/мин)	Мощность двигателя (кВт)
	(л/с)	(м³/ч)			
SL1600ZX(W)B/Q-3.5	34272	9.52	1.9	248	630
	31932	8.87	2.9		
	24588	6.83	4.9		
	37188	10.33	2.0		
	33336	9.26	3.3		
	26748	7.43	5.2		
	40212	11.17	2.0		
	36072	10.02	3.3		
	28620	7.95	5.2		
	42840	11.90	2.1		
	38988	10.83	3.5		
	31644	8.79	5.2		
	45000	12.50	2.1		
	39600	11.00	4.2		
	36468	10.13	4.9		
46008	12.78	2.8			
42298	11.75	4.2			
SL2000ZX(W)B/Q-3.5	41914.8	11.64	4.79	214	800
	47815.2	13.28	3.63		
	53470.8	14.85	2.38		
	47617.2	13.23	4.78		
	55296	15.36	3.33		
	57135.6	15.87	2.9		
	54140.4	15.04	4.84		1000
	60372	16.77	3.5		
	64479.6	17.91	3		
	56980.8	15.83	5.09		
	65156.4	18.10	3.74		
	68749.2	19.10	3.02		
	62388	17.33	5		
	67341.6	18.71	4.25		
73544.4	20.43	3.13			
SL2200ZX(W)B/Q-3.5	45266.4	12.57	4.21	187	800
	51642	14.35	3.19		
	57747.6	16.04	2.09		
	51429.6	14.29	4.21		
	59720.4	16.59	2.93		
	63212.4	17.56	2.29		1000
	56653.2	15.74	4.56		
	64069.2	17.80	3.48		
	69642	19.35	2.64		
	61542	17.10	4.48		
	70372.8	19.55	3.29		
	76550.4	21.26	2.28		
65599.2	18.22	4.61			

	72730.8	20.20	3.74		1250
	79430.4	22.06	2.75		
SL2500ZX(W)B/Q-3.5	63514.8	17.64	4.18	148	1000
	71589.6	19.89	3.42		
	79664.4	22.13	2.4		
	68295.6	18.97	4.23		
	77007.6	21.39	3.42		
	82821.6	23.01	2.74		
	72025.2	20.01	4.34		1250
	81295.2	22.58	3.57		
	90180	25.05	2.55		
	76651.2	21.29	4.43		
	86472	24.02	3.50		
	92757.6	25.77	2.85		
	83502	23.20	4.33		1600
	89694	24.92	3.85		
	98348.4	27.32	2.91		
	87890.4	24.41	4.57		
	95738.4	26.59	3.88		
	104007.6	28.89	3.02		
L2800ZX(W)B/Q-3.5	79696.8	22.14	3.91	148	1250
	85399.2	23.72	3.33		
	95500.8	26.53	2.18		
	85046.4	23.62	4.38		
	98758.8	27.43	3.06		
	102045.6	28.35	2.66		
	93686.4	26.02	4.75		1600
	103608	28.78	3.50		
	115164	31.99	2.75		
	104403.6	29.00	4.46		
	116373.6	32.33	3.43		
	122792.4	34.11	2.77		
	108482.4	30.13	4.81		2000
	120276	33.41	3.9		
131353.2	36.49	2.87			
SL3000ZX(W)B/Q-3.5	91461.6	25.41	4.18	123	1600
	103086	28.64	3.42		
	112244.4	31.18	2.66		
	104216.4	28.95	3.88		
	110890.8	30.80	3.42		
	116683.2	32.41	2.96		
	109123.2	30.31	4.08		
	117061.2	32.52	3.57		
	123832.8	34.40	3.04		2000
	113479.2	31.52	4.25		
	125568	34.88	3.50		
	130474.8	36.24	3.08		
	122608.8	34.06	4.23		
	129160.8	35.88	3.85		
	137854.8	38.29	3.2		
	126561.6	35.16	4.57		

135212.4	37.56	4.08	
145897.2	40.53	3.28	