

Модель	поток вопрос	Поднимат ь Н(м)	Скорость н	Мощность двигателя
	(м³/с)	(м)	(об/мин)	(кВт)
50ZS-42	44	78	1480	45
	76	75		55
	91	72		
	29	35.5	980	15
	50	33		18.5
	60	31		
50ZS-42(A)	42	70.7	1480	37
	73	68		45
	87	65.3		
	28	32.2	980	15
	48	29.9		
	57	28.1		
50ZS-42(B)	40	63.9	1480	37
	69	61.4		45
	83	58.9		
	26	29.1	980	11
	45	27		15
	54	25.4		
50ZS-42(C)	38	57.3	1480	30
	65	55.1		37
	78	52.9		
	25	26.1	980	11
	43	24.2		15
	51	22.8		
50ZS-42(D)	36	51.1	1480	30
	62	49.1		37
	74	47.2		
	23	23.3	980	11
	40	21.6		
	49	20.3		
50ZS-50	53	110.5	1480	75
	91	105.5		90
	109	99.4		

50ZS-50	35	48	980	22
	60	46		30
	72	43.5		
50ZS-50(A)	51	101.8	1480	75
	87	97.2		
	105	91.6		
	33	44.2	980	22
	58	42.4		30
	69	40.1		
50ZS-50B	49	93.5	1480	55
	84	89.3		75
	100	84.1		
	32	40.6	980	22
	55	38.9		
	66	36.8		
50ZS-50C	46	85.6	1480	55
	80	81.7		75
	96	77		
	31	37.2	980	18.5
	53	35.6		22
	63	33.7		
50ZS-50D	44	78	1480	45
	76	74.4		55
	92	70.1		
	29	33.9	980	15
	50	32.5		18.5
	60	30.7		
65ZS-40	55	63	1480	37
	95	60		45
	114	58		
	37	27.5	980	11
	63	26.2		15
	76	25.3		
65ZS-40A	52	56.9	1480	30
	90	54.2		37
	108	52.3		
	35	24.8	980	11
	60	23.6		

	72	22.8		
65ZS-40B	50	51	1480	30
	86	48.6		
	103	47		
	33	22.3	980	7.5
	57	21.2		11
	68	20.5		
65ZS-40C	47	45.5	1480	22
	81	43.4		30
	97	41.9		
	31	19.9	980	7.5
	54	18.9		
	64	18.3		
65ZS-40D	44	40.3	1480	18.5
	76	38.4		22
	91	37.1		
	29	17.6	980	5.5
	50	16.8		7.5
	60	16.2		
80ZS-40	93	62	1480	45
	160	58		55
	189	55		
	61	27.3	980	15
	106	25.9		18.5
	125	24.7		
80ZS-40A	88	56	1480	45
	152	52.3		55
	179	49.6		
	58	24.6	980	15
	101	23.4		
	119	22.3		
80ZS-40B	84	50.2	1480	37
	144	47		45
	170	44.6		
	55	22.1	980	11
	95	21		15
	113	20		
	79	44.8		

80ZS-40C	136	41.9	1480	37
	160	39.7		
	52	19.7	980	11
	90	18.7		15
	106	17.8		
80ZS-40D	74	39.7	1480	30
	128	37.1		37
	151	35.2		
	49	17.5	980	7.5
	85	16.6		11
	100	15.8		
80ZS-49	99	90	1480	75
	170	86		90
	204	83		
	66	38.5	980	30
	113	36.3		
	136	34.5		
80ZS-49A	95	82.8	1480	75
	163	79.1		90
	196	76.4		
	63	35.4	980	22
	108	33.4		30
	130	31.7		
80ZS-49B	91	75.9	1480	75
	156	72.5		
	187	70		
	60	32.5	980	22
	104	30.6		
	125	29.1		
80ZS-49C	87	69.3	1480	55
	149	66.2		75
	179	63.9		
	58	29.6	980	18.5
	99	28		22
	119	26.6		
80ZS-49D	80	63	1480	45
	142	60.2		55
	171	58.1		

80ZS-43D	55	27	980	15
	95	25.4		18.5
	113	24.2		
80ZS-53	99	113	1480	132
	170	110		160
	204	107		
	66	49.5	980	37
	113	48.2		45
	136	47		
80ZS-53A	95	104.8	1480	110
	164	102		132
	196	99.2		
	63	45.9	980	37
	109	44.7		45
	131	43.6		
80ZS-53B	91	96.9	1480	110
	157	94.3		132
	189	91.7		
	61	42.4	980	30
	105	41.3		37
	126	40.3		
80ZS-53C	88	89.3	1480	90
	151	86.9		110
	181	84.5		
	58	39.1	980	30
	100	38.1		
	121	37.1		
80ZS-53D	84	82	1480	75
	145	79.8		90
	174	77.6		
	56	35.9	980	22
	96	35		30
	116	34.1		
100ZS-42	142	70.5	1480	90
	245	67		
	294	65		
	94	31	980	30
	162	29.4		37

	194	28.5		
100ZS-42A	135	63.9	1480	75
	233	60.8		90
	280	59		
	89	28.1	980	30
	154	26.7		
	185	25.9		
100ZS-42B	129	57.7	1480	75
	222	54.8		
	266	53.2		
	85	25.4	980	22
	147	24.1		
	176	23.3		
100ZS-42C	122	51.8	1480	55
	210	49.2		75
	252	47.8		
	81	22.8	980	18.5
	139	21.6		22
	167	20.9		
100ZS-42D	115	46.2	1480	55
	198	43.9		
	238	42.6		
	76	20.3	980	15
	131	19.3		18.5
	157	18.7		
100ZS-50	203	92	1480	160
	350	88		185
	420	84		
	135	40	980	45
	332	38		55
	278	37		
100ZS-50A	195	84.8	1480	132
	336	81.1		160
	403	77.4		
	129	36.9	980	45
	223	35		
	267	34.1		
	187	77.9		110

100ZS-50B	322	74.5	1480	132
	386	71.1		
	124	33.9	980	37
	213	32.2		45
	256	31.3		
100ZS-50C	179	71.2	1480	110
	308	68.1		132
	370	65		
	118	31	980	37
	204	29.4		45
	245	28.7		
100ZS-50D	171	64.9	1480	90
	294	62.1		110
	353	59.3		
	113	28.2	980	30
	195	26.8		37
	234	26.1		
100ZS-55	203	114	1480	200
	350	110		250
	420	106		
	135	50.2	980	
	232	48.2		75
	278	46.6		
100ZS-55A	196	105.9	1480	185
	337	102.1		220
	405	98.4		
	130	46.6	980	55
	224	44.8		75
	268	43.3		
100ZS-55B	188	98	1480	160
	325	94.6		185
	389	91.1		
	125	43.2	980	
	215	41.4		55
	258	40.1		
100ZS-55C	181	90.5	1480	160
	312	87.3		185
	374	84.1		

100ZS-55C	120	39.8	980	45
	207	38.3		55
	248	37		
100ZS-55D	173	83.2	1480	132
	299	80.3		160
	359	77.4		
	115	36.7	980	45
	198	35.2		
	238	34		
150ZS-60	273	63.5	980	132
	470	60		160
	564	58.2		
	197	35.5	740	55
	340	33.6		75
	408	32.1		
150ZS-60A	264	59.3	980	132
	454	56.1		160
	545	54.4		
	191	33.2	740	55
	329	31.4		
	394	30		
150ZS-60B	254	55.3	980	110
	439	52.3		132
	526	50.7		
	184	30.9	740	45
	317	29.3		55
	381	28		
150ZS-60C	245	51.4	980	110
	423	48.6		
	508	47.1		
	177	28.8	740	45
	306	27.2		
	367	26		
150ZS-60D	236	47.7	980	90
	407	45.1		110
	489	43.7		
	171	26.7	740	37
	295	25.2		45



	354	24.1		
150ZS-65	290	75.5	980	185
	500	73		200
	600	69.5		
	218	42.5	740	75
	376	41		90
	451	39		
150ZS-65A	281	70.9	980	160
	485	68.6		185
	582	65.3		
	211	39.9	740	75
	364	38.5		90
	437	36.6		
150ZS-65B	272	66.5	980	160
	469	64.3		185
	563	61.2		
	205	37.4	740	75
	353	36.1		
	423	34.3		
150ZS-65C	263	62.2	980	132
	454	60.1		160
	545	57.3		
	198	35	740	55
	341	33.8		75
	410	32.1		
150ZS-65D	254	58.1	980	132
	438	56.1		160
	526	53.4		
	191	32.7	740	55
	330	31.5		75
	396	30		
150ZS-71	282	93.5	980	220
	486	89		250
	573	87		
	210	52	740	90
	362	49.5		110
	427	48		
	274	88.3		220

150ZS-71A	472	84.1	980	250
	557	82.2		
	204	49.1	740	90
	352	46.8		110
	415	45.3		
150ZS-71B	266	83.3	980	200
	459	79.3		220
	541	77.5		
	198	46.3	740	75
	342	44.1		90
	403	42.7		
150ZS-71C	258	78.4	980	185
	442	74.6		200
	525	72.9		
	192	43.6	740	75
	331	41.5		90
	391	40.2		
150ZS-71D	250	73.6	980	185
	431	70.1		
	509	68.5		
	186	40.9	740	75
	321	39		90
	379	37.8		
200ZS-65	467	71.5	980	250
	820	68		280
	984	65		
	354	40.6	740	110
	610	38.2		132
	732	36.5		
200ZS-65A	453	67.2	980	220
	795	63.9		250
	954	61.1		
	343	38.1	740	110
	591	35.9		132
	709	34.3		
200ZS-65B	439	63	980	200
	770	59.9		220
	923	57.2		

200ZS-65B	332	35.8	740	90
	572	33.6		110
	687	32.1		
200ZS-65C	424	58.9	980	200
	744	56		220
	893	53.6		
	321	33.5	740	90
	554	31.5		110
	664	30.1		
200ZS-65D	410	55	980	160
	719	52.3		185
	863	50		
	310	31.2	740	75
	535	29.4		90
	642	28.1		
200ZS-75	428	102.7	980	355
	750	95.5		
	908	91		
	318	57.2	740	132
	558	53.2		160
	675	50.3		
200ZS-75A	416	97.3	980	315
	730	90.5		355
	883	86.2		
	310	54.2	740	132
	543	50.4		160
	657	47.7		
200ZS-75B	405	92	980	280
	710	85.6		315
	859	81.6		
	301	51.3	740	132
	528	47.7		160
	639	45.1		
200ZS-75C	393	86.9	980	280
	690	80.8		315
	835	77		
	293	48.4	740	132
	513	45		160

	621	42.6		
200ZS-75D	382	82	980	250
	670	76.2		280
	811	72.6		
	284	45.6	740	110
	498	42.5		132
	603	40.1		
200ZS-80	450	127	980	450
	628	122		560
	862	112		
	340	72.4	740	200
	474	70		250
	651	64		
200ZS-80A	439	121.1	980	450
	613	116.3		500
	842	106.8		
	332	69	740	185
	463	66.7		250
	636	61		
200ZS-80B	429	115.3	980	400
	598	110.8		500
	821	101.7		
	324	65.7	740	185
	452	63.6		250
	620	58.1		
200ZS-80C	418	109.7	980	400
	584	105.4		450
	801	96.7		
	316	62.5	740	160
	441	60.5		200
	605	55.3		
200ZS-80D	408	104.2	980	355
	569	100.1		450
	781	91.9		
	308	59.4	740	160
	429	57.4		185
	590	52.5		
	563	71		280

250ZS-65	970	66	980	315
	1242	61		
	423	39.6	740	132
	730	36.8		
	934	34.3		
250ZS-65A	548	67.3	980	280
	944	62.5		315
	1208	57.8		
	412	37.5	740	110
	711	34.9		132
	909	32.5		
250ZS-65B	528	62.5	980	250
	910	58.1		280
	1165	53.7		
	397	34.9	740	110
	685	32.4		132
	877	30.2		
250ZS-65C	511	58.5	980	250
	880	54.4		280
	1127	50.3		
	384	32.6	740	90
	663	30.3		110
	848	28.3		
250ZS-65D	493	54.6	980	220
	851	50.8		250
	1089	46.9		
	371	30.5	740	90
	640	28.3		110
	819	26.4		
250SZS-65T	874	65	980	400
	1404	57.9		
	1616	52		
	660	37	740	185
	1060	33		
	1220	29.5		
250SZS-65T-A	847	61	980	400
	1360	54.3		
	1565	48.8		

250SZS-65T-A	639	34.7	740	160
	1027	31		
	1182	27.7		
250SZS-65T-B	819	57.1	980	355
	1316	50.9		
	1515	45.7		
	619	32.5	740	160
	994	29		
	1144	25.9		
250SZS-65T-C	792	53.4	980	315
	1272	47.5		
	1464	42.7		
	598	30.4	740	132
	961	27.1		
	1106	24.2		
250SZS-65T-D	765	49.8	980	280
	1228	44.3		
	1414	39.8		
	578	28.3	740	132
	928	25.3		
	1068	22.6		
250ZS-75	605	97.5	980	450
	1100	92		500
	1375	83.5		
	463	56.2	740	220
	842	52		250
	1053	47		
250ZS-75A	589	92.4	980	450
	1071	87.2		500
	1338	79.1		
	451	53.2	740	200
	820	49.3		220
	1024	44.5		
250ZS-75B	573	87.4	980	400
	1041	82.4		450
	1302	74.8		
	438	50.4	740	185
	797	46.6		200

	996	42.1		
250ZS-75C	557	82.5	980	400
	1012	77.9		450
	1265	70.7		
	426	47.6	740	160
	775	44		185
	968	39.8		
250ZS-75D	540	77.8	980	355
	983	73.4		400
	1228	66.6		
	414	44.9	740	160
	752	41.5		185
	940	37.5		
250ZS-75E	524	73.2	980	315
	953	69.1		355
	1192	62.7		
	401	42.2	740	132
	730	39.1		160
	912	35.3		
250ZS-80	682	115	980	630
	1175	110		710
	1422	106		
	508	63	740	280
	875	61		315
	1059	59		
250ZS-80A	664	109.3	980	560
	1146	104.6		630
	1386	100.8		
	495	59.9	740	250
	853	58		280
	1032	56.1		
250ZS-80B	647	103.8	980	560
	1116	99.3		
	1351	95.7		
	482	56.9	740	250
	831	55.1		280
	1006	53.2		
	630	98.4		500

250ZS-80C	1087	94.1	980	560
	1315	90.7		
	469	53.9	740	220
	809	52.2		250
	979	50.5		
250ZS-80D	613	93.2	980	450
	1058	89.1		500
	1280	85.9		
	457	51	740	220
	788	49.4		250
	953	47.8		
250ZS-103	850	112	740	900
	1400	107		1000
	1680	98		
	678	72	590	450
	1116	68		500
	1339	62.3		
250ZS-103A	833	107.6	740	900
	1373	102.9		1000
	1647	94.2		
	664	69.2	590	450
	1095	65.4		500
	1313	59.9		
250ZS-103B	816	103.3	740	800
	1345	98.8		900
	1613	90.4		
	651	66.4	590	450
	1073	62.8		500
	1286	57.5		
250ZS-103C	800	99.1	740	800
	1317	94.8		900
	1580	86.7		
	637	63.7	590	400
	1050	60.2		450
	1260	55.1		
250ZS-103D	783	95	740	800
	1290	90.8		900
	1547	83.1		



230ZS-103D	624	61	590	400
	1028	57.7		450
	1233	52.8		
300ZS-56	696	50	980	250
	1290	41		280
	1485	38		
	526	29	740	110
	974	23.4		
	1121	21.7		
300ZS-56A	672	46.6	980	220
	1245	38.2		250
	1433	35.4		
	507	26.5	740	110
	940	21.8		
	1082	20.2		
300ZS-56B	647	43.2	980	220
	1199	35.4		
	1381	32.9		
	489	24.6	740	90
	906	20.2		
	1043	18.8		
300ZS-56C	623	40	980	185
	1154	32.8		200
	1329	30.4		
	470	22.8	740	90
	872	18.7		
	1003	17.4		
300ZS-56D	598	36.9	980	185
	1109	30.3		
	1277	28.1		
	452	21.1	740	75
	837	17.3		
	964	16		
300ZS-70	1228	77	980	560
	2118	66.5		630
	2362	64		
	915	42	740	250
	1578	37.2		280

	1759	35		
300ZS-70A	1193	72.7	980	560
	2057	62.8		630
	2294	59.9		
	889	39.6	740	250
	1533	35.1		280
	1709	33		
300ZS-70B	1158	68.5	980	500
	1997	59.1		560
	2227	56.5		
	863	37.3	740	220
	1488	33.1		250
	1659	31.1		
300ZS-70C	1123	64.4	980	450
	1936	55.6		500
	2159	53.1		
	837	35.1	740	200
	1443	31.1		220
	1609	29.3		
300ZS-70D	1088	60.4	980	400
	1876	52.2		450
	2092	49.8		
	811	32.9	740	185
	1398	29.2		200
	1558	27.5		
300ZS-100	910	65	590	500
	1785	60		560
	1874	59		
	756	45	490	250
	1482	41		280
	1571	40		
300ZS-100A	892	62.4	590	450
	1749	57.6		500
	1837	56.7		
	741	43.2	490	250
	1452	39.4		280
	1540	38.4		
	874	59.9		400

300ZS-100B	1714	55.3	590	450
	1799	54.4		
	726	41.5	490	220
	1423	37.8		250
	1508	36.9		
300ZS-100C	856	57.4	590	355
	1678	53		400
	1762	52.1		
	710	39.8	490	220
	1393	36.2		250
	1477	35.3		
300ZS-100D	838	55	590	355
	1642	50.8		400
	1724	49.9		
	695	38.1	490	200
	1363	34.7		220
	1445	33.9		
300ZS-100E	819	52.7	590	315
	1607	48.6		355
	1687	47.8		
	680	36.5	490	185
	1334	33.2		200
	1414	32.4		

















